

Revision date: 2012/08/09 Page: 1/9
Version: 2.0 (30549054/SDS\_CPA\_US/EN)

# 1. Product and Company Identification

Company BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA

24 Hour Emergency Response Information CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

Registrant:

Whitmire Micro-Gen Research Laboratories, Inc. 3568 Tree Court Industrial Blvd. St. Louis, MO 63122

Substance number: 000000539311 Synonyms: Chlorfenapyr

# 2. Hazards Identification

#### **Emergency overview**

WARNING:

Causes substantial but temporary eye injury. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. Flammable Liquid

Aerosol container contains flammable gas under pressure.

See Product Label for additional precautionary statements.

State of matter: liquid Colour: dark amber Odour: of acetone

#### Potential health effects

# Primary routes of exposure:

Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquified gases.

#### Acute toxicity:

Relatively nontoxic after single ingestion. Relatively nontoxic after short-term skin contact. Relatively nontoxic after short-term inhalation.

#### Irritation / corrosion:

May cause slight irritation to the skin. Causes substantial but temporary eye injury.

Revision date : 2012/08/09 Page: 2/9 Version: 2.0 (30549054/SDS\_CPA\_US/EN)

#### Sensitization:

Skin sensitizing effects were not observed in animal studies.

#### Signs and symptoms of overexposure:

Vomiting may cause aspiration pneumonia due to the ingredients.

#### Potential environmental effects

#### Aquatic toxicity:

Very toxic (acute effect) to aquatic organisms.

# 3. Composition / Information on Ingredients

CAS Number	Content (W/W)	Chemical name
122453-73-0	4.5 %	Chlorfenapyr
67-64-1	<= 45.0 %	Acetone
68476-40-4		Hydrocarbons, C3-4
	<= 50.0 %	Proprietary ingredients

#### 4. First-Aid Measures

#### General advice:

First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or physician for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

#### If inhaled:

Remove the affected individual into fresh air and keep the person calm.

#### If on skin:

Rinse skin immediately with plenty of water for 15 - 20 minutes.

#### If in eves:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

#### If swallowed:

Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Do not induce vomiting. Have person sip a glass of water if able to swallow.

### Note to physician

Treatment:

Flash point:

Treat according to symptoms (decontamination, vital functions), no known specific antidote. Aspiration of this product during induced emesis can result in lung injury. If evacuation of stomach contents is considered necessary, use method least likely to cause aspiration, such as gastric lavage after endotracheal intubation.

# 5. Fire-Fighting Measures

Flash point: not applicable

Information on: liquified petroleum gas propellant

-156 °F -104 °C

Information on: Acetone

Flash point: 12 °C (closed cup) Literature data.

Revision date: 2012/08/09 Page: 3/9
Version: 2.0 (30549054/SDS CPA US/EN)

Ignition distance test for spray aerosols:

> 18 in no flashback

NFPA 30B flammability:

Level 3 Aerosol

## Suitable extinguishing media:

foam, dry powder, carbon dioxide

#### Hazards during fire-fighting:

carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide, Hydrogen chloride, hydrogen fluoride, halogenated hydrocarbons, hydrogen bromide, halogenated compounds, hydrocarbons
The substances/groups of substances mentioned can be released in case of fire. Aerosol container contains flammable gas under pressure. Risk of explosion at excessive temperatures.

#### Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

#### Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

### 6. Accidental release measures

#### Personal precautions:

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

# **Environmental precautions:**

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water. A spill of or in excess of the reportable quantity requires notification to state, local and national emergency authorities. This product is regulated by CERCLA ('Superfund').

#### Cleanup:

Dike spillage. Pick up with suitable absorbent material. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

# 7. Handling and Storage

#### Handling

#### General advice:

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Provide means for controlling leaks and spills. Follow label warnings even after container is emptied. The substance/product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

#### Protection against fire and explosion:

The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Avoid extreme heat. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Revision date: 2012/08/09 Page: 4/9 Version: 2.0 (30549054/SDS CPA US/EN)

#### **Storage**

#### **General advice:**

Protect containers from physical damage. Store in a cool, dry, well-ventilated area. Avoid all sources of ignition: heat, sparks, open flame.

#### Storage incompatibility:

General advice: Segregate from foods and animal feeds.

#### Temperature tolerance

Protect from temperatures above: 130 °F Explosive at or above indicated temperature.

# 8. Exposure Controls and Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

#### Components with workplace control parameters

Acetone OSHA PEL 1,000 ppm 2,400 mg/m3;

ACGIH TWA value 500 ppm; STEL value 750 ppm;

#### Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

#### Personal protective equipment

# RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

#### Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

### Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

## Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

#### Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

#### General safety and hygiene measures:

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. No eating, drinking, smoking or tobacco use at the place of work. Hands and/or face should be washed before breaks and at the end of the shift. Remove contaminated clothing immediately and dispose of safely.

### 9. Physical and Chemical Properties

Form: liquid, aerosol Odour: of acetone

Revision date : 2012/08/09 Page: 5/9
Version: 2.0 (30549054/SDS\_CPA\_US/EN)

Colour: dark amber

pH value: 7.7 (23.8 °C)
Vapour pressure: approx. 100 psia (20 °C)
Density: 0.825 g/cm3 (20 °C)
Partitioning coefficient n- not applicable

octanol/water (log Pow):

Solubility in water: soluble

# 10. Stability and Reactivity

#### Conditions to avoid:

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

#### Substances to avoid:

No substances known that should be avoided.

#### **Hazardous reactions:**

No hazardous reactions known.

The product is chemically stable.

# **Decomposition products:**

No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

#### Thermal decomposition:

Possible thermal decomposition products:

carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide, Hydrogen chloride, hydrogen fluoride, halogenated hydrocarbons, Hydrocarbons

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released. To avoid thermal decomposition, do not overheat.

#### **Oxidizing properties:**

not fire-propagating

# 11. Toxicological information

#### **Acute toxicity**

#### Oral:

Type of value: LD50 Species: rat (female) Value: > 5,000 mg/kg No mortality was observed.

# Inhalation:

Type of value: LC50 Species: rat (male/female) Value: > 2.05 mg/l Exposure time: 4 h

#### Dermal:

Type of value: LD50 Species: rat (male/female) Value: > 5,000 mg/kg

### Irritation / corrosion

Skin:

Species: rabbit

Revision date : 2012/08/09 Page: 6/9 Version: 2.0 (30549054/SDS\_CPA\_US/EN)

Result: Slightly irritating.

Eye:

Species: rabbit Result: mildly irritating

Sensitization:

Buehler test

Species: guinea pig

Result: Skin sensitizing effects were not observed in animal studies.

**Genetic toxicity** 

Information on: Chlorfenapyr

No mutagenic effect was found in various tests with microorganisms and mammals.

Information on: Acetone

In the majority of studies performed with microorganisms and in mammalian cell culture, a mutagenic effect was

not found. A mutagenic effect was also not observed in in vivo tests.

-----

Carcinogenicity

Information on: Chlorfenapyr

In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not

observed.

-----

Reproductive toxicity

Information on: Chlorfenapyr

The results of animal studies gave no indication of a fertility impairing effect.

Information on: Acetone

As shown in animal studies, the product may cause damage to the testes after repeated high exposures that

cause other toxic effects.

Development:

Information on: Chlorfenapyr

No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Information on: Acetone

In animal studies the substance did not cause malformations.

\_\_\_\_\_

# 12. Ecological Information

Fish

Information on: Chlorfenapyr

Acute:

Oncorhynchus mykiss/LC50 (96 h): 0.00744 mg/l

Information on: Acetone

Acute:

OECD 203; ISO 7346; 84/449/EEC, C.1 Flow through. Pimephales promelas/LC50 (96 h): 6,210 mg/l

The statement of the toxic effect relates to the analytically determined concentration.

other static

Oncorhynchus mykiss/LC50 (96 h): 5,540 mg/l

Nominal concentration.

Revision date : 2012/08/09 Page: 7/9
Version: 2.0 (30549054/SDS\_CPA\_US/EN)

#### **Aquatic invertebrates**

Information on: Chlorfenapyr

Acute:

Daphnia magna/EC50 (48 h): 0.006 mg/l

Information on: Acetone

Acute:

static

Daphnia pulex/LC50 (48 h): 8,800 mg/l

Nominal concentration.

static

Artema salina/LC50 (24 h): 2,100 mg/l

Nominal concentration.

#### **Aquatic plants**

Information on: Chlorfenapyr Toxicity to aquatic plants:

green algae/EC50 (72 h): 0.132 mg/l

Information on: Acetone Toxicity to aquatic plants: DIN 38412 Part 9 static

Bacteria/Toxic limit concentration (8 d): 530 mg/l

Nominal concentration.

# 13. Disposal considerations

#### Waste disposal of substance:

Pesticide wastes are regulated. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

### Container disposal:

Do not cut, puncture, crush, or incinerate empty aerosol containers. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Empty aerosol cans may meet the definition of RCRA D003. Consult local and/or regional EPA for further guidance.

# 14. Transport Information

# Land transport

**USDOT** 

Hazard class: 2.1
ID number: UN 1950
Hazard label: 2.1, EHSM

Proper shipping name: AEROSOLS (contains HYDROCARBON PROPELLENT,

CHLORFENAPYR)

#### Sea transport

**IMDG** 

Hazard class: 2.1 ID number: UN 1950

Revision date : 2012/08/09 Page: 8/9 Version: 2.0 (30549054/SDS\_CPA\_US/EN)

Hazard label: 2.1, EHSM

Marine pollutant: YES

Proper shipping name: AEROSOLS (contains HYDROCARBON PROPELLENT,

CHLORFENAPYR)

Air transport IATA/ICAO

Hazard class: 2.1
ID number: UN 1950
Hazard label: 2.1

Proper shipping name: AEROSOLS, FLAMMABLE (contains HYDROCARBON PROPELLENT,

CHLORFENAPYR)

**Further information** 

DOT: This product may be classified as ORM-D (Consumer Commodity) or Limited Quantity. After 12/31/2013,

ORM-D will not apply.

# 15. Regulatory Information

# **Federal Regulations**

Registration status:

Chemical TSCA, US blocked / not listed

Crop Protection TSCA, US released / exempt

OSHA hazard category: Chronic target organ effects reported; ACGIH TLV established

EPCRA 311/312 (Hazard categories): Acute; Chronic

CERCLA RQCAS NumberChemical name5000 LBS67-64-1Acetone

# 16. Other Information

# Refer to product label for EPA registration number.

Recommended use: insecticide

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

### MSDS Prepared by:

BASF NA Product Regulations msds@basf.com

MSDS Prepared on: 2012/08/09

Revision date: 2012/08/09 Page: 9/9
Version: 2.0 (30549054/SDS\_CPA\_US/EN)

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. END OF DATA SHEET