Material Safety Data Sheet



Caliente* WDG

Product and company identification

Product name EPA Registration Number

: 67690-52

: Caliente* WDG

Material uses

A CONTACT AND SELECTIVE HERBICIDE FOR CONTROL OF ANNUAL AND PERENNIAL GRASSY AND BROADLEAF WEEDS IN ESTABLISHED ORNAMENTAL TURFGRASS SITES (LAWNS, PARKS, CEMETERIES, ATHLETIC FIELDS, MUNICIPAL, INDUSTRIAL, AND COMMERCIAL TURF), GOLF COURSE FAIRWAYS AND ROUGHS, SOD FARMS, AND INDUSTRIAL SITES, BOULEVARDS, RECREATIONAL AREAS, NATURALIZED AREAS AND OTHER UNCULTIVATED NON-AGRICULTURAL AREAS,

FENCE AND PROPERTY LINES, AND AIRPORTS.

Supplier/Manufacturer

SePRO Corporation

11550 North Meridian Street

Suite 600

Carmel, IN 46032 U.S.A. Tel: 317-580-8282 Toll free: 1-800-419-7779 Fax: 317-428-4577

Monday - Friday, 8am to 5pm E.S.T.

www.sepro.com

Responsible name

: KMK Regulatory Services Inc.

In case of emergency

: INFOTRAC - 24-hour service 1-800-535-5053

Hazards identification

Physical state

: Solid. [Small pellets.]

Odor

Cardboard like.

OSHA/HCS status

: This material is considered hazardous by the OSHA Hazard Communication Standard

(29 CFR 1910.1200).

Emergency overview

: CAUSES EYE BURNS. CAUSES RESPIRATORY TRACT AND SKIN IRRITATION. MAY BE HARMFUL IF ABSORBED THROUGH SKIN OR IF SWALLOWED. CONTAINS MATERIAL THAT MAY CAUSE TARGET ORGAN DAMAGE, BASED ON ANIMAL DATA.

Corrosive to eyes. Causes burns. May be harmful if absorbed through skin or if swallowed. Severely irritating to the skin and respiratory system. Do not ingest. Do not get in eyes or on skin or clothing. Contains material that may cause target organ damage, based on animal data. Use only with adequate ventilation. Keep container tightly closed and sealed until ready for use. Wash thoroughly after handling.

Routes of entry

Dermal contact. Eye contact. Inhalation. Ingestion.

: Harmful in contact with skin. Severely irritating to the skin.

Potential acute health effects

Inhalation

Skin

: Severely irritating to the respiratory system. Exposure to decomposition products may

cause a health hazard. Serious effects may be delayed following exposure.

Eyes : Corrosive to eyes. Causes burns.

Potential chronic health effects

: Contains material that may cause target organ damage, based on animal data. **Chronic effects**

: No known significant effects or critical hazards. Carcinogenicity Mutagenicity : No known significant effects or critical hazards. : No known significant effects or critical hazards. **Teratogenicity Developmental effects** : No known significant effects or critical hazards. : No known significant effects or critical hazards. **Fertility effects**

: Contains material which may cause damage to the following organs: upper respiratory **Target organs**

tract, skin, eyes.

Over-exposure signs/symptoms

Inhalation : Adverse symptoms may include the following:

respiratory tract irritation

coughing

indicates trademark of SePRO Corporation. Page: 1/8 Date of issue : 04/15/2011



Caliente^{*} WDG



: No specific data. Ingestion

Skin : Adverse symptoms may include the following:

> irritation redness

Eyes : Adverse symptoms may include the following:

> watering redness

Medical conditions aggravated by overexposure

: Pre-existing disorders involving any target organs mentioned in this MSDS as being at

risk may be aggravated by over-exposure to this product.

See toxicological information (Section 11)

Composition/information on ingredients

United States					
Name	CAS number	%			
Active ingredient:					
Metsulfuron-methyl (ISO)	74223-64-6	30 - 60			
Pyraflufen-ethyl (ISO)	129630-19-9	5 - 10			
Inert ingredient:					
Starch	9005-25-8	10 - 30			
Sodium carbonate	497-19-8	1 - 5			
Silica	7631-86-9	1 - 5			
Sodium dodecylbenzenesulfonate	25155-30-0	0.1 - 1			

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

First aid measures

Eye contact : Immediately flush eyes with plenty of water for at least 20 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.

Skin contact : In case of contact, immediately flush skin with plenty of water for at least 20 minutes.

> Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. Get medical attention immediately.

Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Call medical doctor

or poison control center immediately.

: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water

before removing it, or wear gloves.

In case of inhalation of decomposition products in a fire, symptoms may be delayed. The Notes to physician exposed person may need to be kept under medical surveillance for 48 hours.

Fire-fighting measures

Flammability of the product : No specific fire or explosion hazard.

Extinguishing media

Suitable

Protection of first-aiders

Inhalation

Ingestion

: Use an extinguishing agent suitable for the surrounding fire.


Not suitable : None known.

Hazardous thermal : Decomposition products may include the following materials: decomposition products

carbon dioxide carbon monoxide nitrogen oxides sulfur oxides

halogenated compounds metal oxide/oxides

: Fire-fighters should wear appropriate protective equipment and self-contained breathing Special protective equipment for fire-fighters apparatus (SCBA) with a full face-piece operated in positive pressure mode.







6. Accidental release measures

Personal precautions

: Do not breathe dust. Provide adequate ventilation. Put on appropriate personal protective equipment (see Section 8).

Environmental precautions

: Hazardous to aquatic environment May cause long-term adverse effects in the aquatic environment. Prevent leaking substances from running into the aquatic environment or the sewage system.

Spill

: Stop leak if without risk. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.

Handling and storage

Handling

: Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. Do not get in eyes or on skin or clothing. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Storage

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

8. Exposure controls/personal protection

in olo, por ooriar pi	
	United States
Product name	Exposure limits
Starch	NIOSH REL (United States, 6/2009). TWA: 5 mg/m³ 10 hour(s). Form: Respirable fraction TWA: 10 mg/m³ 10 hour(s). Form: Total OSHA PEL (United States, 6/2010). TWA: 5 mg/m³ 8 hour(s). Form: Respirable fraction TWA: 15 mg/m³ 8 hour(s). Form: Total dust OSHA PEL 1989 (United States, 3/1989). TWA: 5 mg/m³ 8 hour(s). Form: Respirable fraction TWA: 15 mg/m³ 8 hour(s). Form: Total dust ACGIH TLV (United States, 2/2010). TWA: 10 mg/m³ 8 hour(s).
Sodium carbonate	OSHA PEL (United States).
Silica	TWA: 15 mg/m³ 8 hour(s). NIOSH REL (United States, 6/2009). TWA: 6 mg/m³ 10 hour(s).

Consult local authorities for acceptable exposure limits.

Applicators should refer to the product label for personal protective equipment.

Respiratory

: Not required under normal conditions of use. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. Wear an appropriate NIOSH approved respirator if concentration levels exceed the safe exposure limits. Ensure an MSHA/NIOSH-approved respirator or equivalent is used.

Hands

: Use gloves appropriate for work or task being performed. Recommended: Natural rubber (latex).

Eyes

: Safety eyewear should be used when there is a likelihood of exposure. Recommended: Safety glasses with side shields.

Skin

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: Lab coat.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

Page: 3/8

 $^{^{\}star}$ indicates trademark of SePRO Corporation.



9. Physical and chemical properties

Physical state : Solid. [Small pellets.]

Color : Brown. [Light]

Odor : Cardboard like.

pH : 5.76 [Conc. (% w/w): 1%] at 25°C (77°F)

Boiling/condensation point : Not available.

Relative density : 0.447g/cc at 23.4°C

Vapor pressure : Not available.

Solubility : Not available.

10. Stability and reactivity

Chemical stability : The product is stable.

Conditions to avoid : No specific data.

Materials to avoid : Reactive or incompatible with the following materials: oxidizing materials and acids.

Non-reactive or compatible with the following materials: reducing materials, combustible

materials, organic materials, metals, alkalis and moisture.

Hazardous decomposition

products

: Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

Possibility of hazardous reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Hazardous polymerization : Under normal conditions of storage and use, hazardous polymerization will not occur.

11. Toxicological information

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Metsulfuron-methyl (ISO)	LC50 Inhalation Vapor	Rat	>5 g/m3	4 hours
• • •	LD50 Dermal	Rabbit	>2 g/kg	-
	LD50 Oral	Rat	>5 g/kg	-
Sodium carbonate	LD50 Oral	Rat	4090 mg/kg	-
Sodium dodecylbenzenesulfonate	LC50 Inhalation Vapor	Rat	310 mg/m3	4 hours
·	LD50 Oral	Rat	438 mg/kg	-

Chronic toxicity

Classification

Product/ingredient name	ACGIH	IARC	EPA	NIOSH	NTP	OSHA
Starch	A4	-	-	-	-	-
Silica	-	13	-	-	-	-

12. Ecological information

Environmental effects

 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Aquatic ecotoxicity

Product/ingredient name	Result	Species	Exposure
Sodium carbonate	Acute EC50 199.82 mg/L Fresh water	Daphnia - Ceriodaphnia dubia - Neonate - <24 hours	48 hours
	Acute LC50 300000 ug/L Fresh water	Fish - Lepomis macrochirus - 3.88 cm - 0.96 g	96 hours
Sodium dodecylbenzenesulfonate	Acute EC50 29000 ug/L Fresh water	Algae - Chlorella pyrenoidosa - Exponential growth phase	96 hours
	Acute EC50 5.88 ppm Fresh water Acute IC50 112.4 mg/L	Daphnia - Daphnia magna Algae - Pseudokirchneriella subcapitata - Exponential growth phase	48 hours 72 hours
	Acute LC50 1.18 ppm Fresh water	Fish - Lepomis macrochirus	96 hours

r indicates trademark of SePRO Corporation.

Page: 4/8

Date of issue: 04/15/2011



13. Disposal considerations

Waste disposal

: The generation of waste should be avoided or minimized wherever possible. This material and its container must be disposed of in a safe way. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Empty containers or liners may retain some product residues. Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

14. Transport information

Regulatory information	UN number	Proper shipping name	Classes	PG*	Label	Additional information
DOT Classification	Not regulated.	-	-	-		-
IMDG Class	UN3077	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Metsulfuron-methyl (ISO)). Marine pollutant (Metsulfuron-methyl (ISO), Sodium dodecylbenzenesulfonate)	9	III	1 1 1 2 2 2 2 2 3 3 3 4 3 3 4 3 3 4	-
IATA-DGR Class	Not regulated.	-	-	-		-

PG*: Packing group

Exemption to the above classification may apply.

15. Regulatory information

HCS Classification

: Corrosive material Target organ effects

U.S. Federal regulations

TSCA 8(a) IUR Exempt/Partial exemption: Not determined United States inventory (TSCA 8b): Not determined.

SARA 302/304/311/312 extremely hazardous substances: No products were found. SARA 302/304 emergency planning and notification: No products were found. SARA 302/304/311/312 hazardous chemicals: Sodium dodecylbenzenesulfonate;

Sodium carbonate: Starch

SARA 311/312 MSDS distribution - chemical inventory - hazard identification: Sodium dodecylbenzenesulfonate: Immediate (acute) health hazard; Sodium carbonate: Immediate (acute) health hazard, Delayed (chronic) health hazard; Starch: Immediate (acute) health hazard, Delayed (chronic) health hazard

Clean Water Act (CWA) 311: Sodium dodecylbenzenesulfonate

Clean Air Act (CAA) 112 accidental release prevention: No products were found.

Clean Air Act Section 112(b) Hazardous Air **Pollutants (HAPs)**

: Not listed

Clean Air Act Section 602 **Class I Substances**

: Not listed

Clean Air Act Section 602

: Not listed

Class II Substances

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

indicates trademark of SePRO Corporation.

Page: 5/8

Date of issue : 04/15/2011



State regulations

: Connecticut Carcinogen Reporting: None of the components are listed.

Connecticut Hazardous Material Survey: None of the components are listed.

Florida substances: None of the components are listed.

Illinois Chemical Safety Act: None of the components are listed.

Illinois Toxic Substances Disclosure to Employee Act: None of the components are

listed.

Louisiana Reporting: None of the components are listed. **Louisiana Spill**: None of the components are listed.

Massachusetts Spill: None of the components are listed.

Massachusetts Substances: The following components are listed: Starch; Silica;

Sodium dodecylbenzenesulfonate

Michigan Critical Material: None of the components are listed.

Minnesota Hazardous Substances: None of the components are listed.

New Jersey Hazardous Substances: The following components are listed: Sodium

dodecylbenzenesulfonate

New Jersey Spill: None of the components are listed.

New Jersey Toxic Catastrophe Prevention Act: None of the components are listed. New York Acutely Hazardous Substances: The following components are listed:

Sodium dodecylbenzenesulfonate

New York Toxic Chemical Release Reporting: None of the components are listed. **Pennsylvania RTK Hazardous Substances**: The following components are listed:

Starch; Silica; Sodium dodecylbenzenesulfonate

Rhode Island Hazardous Substances: None of the components are listed.

California Prop. 65

No products were found.

International regulations

Chemical Weapons

Convention List Schedule I

Chemicals

Chemical Weapons

Convention List Schedule II

Chemicals

Chemical Weapons

Convention List Schedule

III Chemicals

: Not listed

: Not listed


: Not listed

16. Other information

Label requirements

: CAUSES EYE BURNS. CAUSES RESPIRATORY TRACT AND SKIN IRRITATION.
MAY BE HARMFUL IF ABSORBED THROUGH SKIN OR IF SWALLOWED. CONTAINS
MATERIAL THAT MAY CAUSE TARGET ORGAN DAMAGE, BASED ON ANIMAL
DATA.

Hazardous Material Information System (U.S.A.)




Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although HMIS® ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered mark of the National Paint & Coatings Association (NPCA). HMIS® materials may be purchased exclusively from J. J. Keller (800) 327-6868.

The customer is responsible for determining the PPE code for this material.

National Fire Protection Association (U.S.A.)





Caliente* WDG



Date of issue: 04/15/2011Date of previous issue: 02/01/2011

Version : 1.1

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



Date of issue : 04/15/2011

This page has been intentionally left blank