




Vanquish®

Herbicide

Vanquish® contains diglycolamine salt of dicamba.



Control Stubborn Weeds, Brush and Vines in VM Settings

Vanquish® is a liquid post-emergent herbicide that offers effective management of troublesome weeds, brush and vines in a variety of VM settings. It controls more than 200 broadleaf weeds, brush and vine species. It's also an ideal tank-mix partner for even more comprehensive control.

KEY PERFORMANCE BENEFITS

Economically controls more than 200 weeds

Effective on stubborn species like kochia, thistles, kudzu, ragweed, elm, spruce and many others

Low volatile formulation of dicamba

Offers excellent tank-mix compatibility

ACTIVE INGREDIENT

dicamba

% ACTIVE INGREDIENT

56.8%

FORMULATION

liquid

CHEMICAL FAMILY

benzoic acid

EPA REGISTRATION

228-397

MODE OF ACTION

synthetic auxin
growth regulator

RESTRICTED USE

no

SIGNAL WORD

caution

PACKAGING INFORMATION

2 x 2.5 gal
15 gal
30 gal



WEEDS CONTROLLED

ANNUALS:	Pusley, Florida	Bursage*	Violet, wild
Amaranth, spiny (spiny pigweed)	Radish, wild	(bur ragweed, lakeweed, povertyweed)	Waterhemlock
Aster, slender	Ragweed, common	Bursage, woollyleaf (lakeweed)	Waterprimrose, creeping
Bedstraw	Ragweed, giant (buffaloweed)	Buttercup, tall	Woodsorrel, creeping* (common yellow)
Beggarweed, Florida	Ragweed lance-leaf	Campion, bladder	Wormwood, common
Black medic	Rubberweed, bitter (bitterweed)	Chickweed, field	Wormwood, Louisiana
Broomweed, common	Senna, coffee	Chickweed, mouseear (Canada)	Yankee weed*
Buckwheat, wild	Sesbania, hemp	Chicory	Yarrow, common
Buffalobur	Shepherd's-purse	Clover, hop*	
Burclover, California	Sicklepod	Dandelion, common*	WOODY:
Burcucumber	Sida, prickly (teaweed)	Dock, broadleaf* (bitterdock)	Ailanthus (tree of heaven)
Buttercup, roughseed	Smartweed, green	Dock, curly*	Alder
Carpetweed	Smartweed, Pennsylvania	Dogbane, hemp	Ash
Catchfly, nightflowering	Sneezeweed, bitter	Dogfennel* (cypressweed)	Aspen
Chamomile, corn	Sowthistle, annual	Fern, bracken	Basswood
Chickweed, common	Sowthistle, spiny	Garlic, wild	Beech
Clovers (annual)	Spanishneedles	Goldenrod, Canada	Birch
Cockle, corn	Spikeweed, common	Goldenrod, Missouri	Blackberry**
Cockle, cow	Spurge	Goldenweed, common	Blackgum**
Cocklebur, common	Spurry, corn	Hawkweed	Brazilian pepper
Croton, tropic	Starbur, bristly	Henbane, black	Cedar**
Croton, woolly	Sumpweed, rough	Horsenettle, Carolina	Cherry
Daisy, English	Sunflower, common (wild)	Ironweed	Chinquapin
Eveningprimrose, cutleaf	Sunflower, volunteer	Ivy, ground	Cottonwood
Fleabane, annual	Thistle, Russian	Knapweed, black	Creosotebush**
Goosefoot, nettleleaf	Velvetleaf	Knapweed, Russian	Cucumbertree
Henbit	Waterhemp	Milkweed, climbing	Dewberry**
Jimsonweed	Waterprimrose, winged	Milkweed, common	Dogwood**
Knotweed	Wormwood, annual	Milkweed, honeysuckle	Elm
Kochia		Milkweed, western, whorled	Gallberry
Kochia (triazine resistant)	BIENNIALS:	Nettle, stinging	Grape
Ladysthumb	Burdock, common	Nightshade, silverleaf (white horsenettle)	Hackberry
Lambsquarters, common	Carrot, wild (Queen Anne's lace)	Onion, wild	Hawthorn** (thornapple)
Lambsquarters (triazine resistant)	Cockle, white	Plantain, broadleaf*	Hemlock
Lettuce, prickly	Eveningprimrose, common	Plantain, buckhorn	Hickory
Mallow, common	Geranium, Carolina	Pokeweed	Honeylocust
Mallow, Venice	Gromwell	Ragweed, western	Honeysuckle
Marestail (horseweed)	Knapweed, diffuse	Redvine	Hornbeam
Mayweed	Knapweed, spotted	Sericia lespedeza	Huckleberry
Morningglory, ivyleaf	Mallow, dwarf	Smartweed, swamp	Huisache
Morningglory, tall	Plantain, bracted	Snakeweed, broom	Ivy, poison
Mustard, tansy	Ragwort, tansy	Sorrel, red* (sheep sorrel)	Kudzu
Mustard, wild	Starthistle, yellow	Sowthistle	Kudzu, black
Mustard (yellowtops)	Sweetclover	Sowthistle, perennial	Maple**
Nightshade, black	Teasel	Spurge, leafy	Mesquite
Pennycress, field (fanweed, frenchweed, stinkweed)	Thistle, bull	Sundrop, halfshrub (eveningprimrose)	Oak**
Pepperweed, Virginia (peppergrass)	Thistle, milk	Thistle, Canada	Oak, poison
Pigweed, prostrate	Thistle, musk	Toadflax, dalmatian	Olive, Russian
Pigweed, redroot (carelessweed)	Thistle, plumelless	Tropical soda apple	Persimmon, eastern
Pigweed, rough	PERENNIALS:	Trumpet creeper (buckvine)	Pine
Pigweed, smooth	Alfalfa*	Vetch	Plum, sand** (wild plum)
Pigweed (triazine resistant)	Artichoke, Jerusalem		Poplar
Pigweed, tumble	Aster, spiny		Rabbitbrush
Poorjoe	Aster, whiteheath		Redcedar, eastern
Puncturevine	Bedstraw, smooth		Rose,
Purslane, common	Bindweed, field		McCartney**
	Bindweed, hedge		Rose, multiflora
	Blueweed, Texas		Sagebrush, fringe

* Noted perennials may be controlled using Vanquish at rates lower than those recommended for other listed perennial weeds

** Tank mixtures may be needed for optimal control

Vanquish®
Herbicide

LABELED USES

Established turfgrasses (including golf courses) and lawns

Rights-of-way (including roadways, utility, railroad, highway, pipeline, and rights-of-way that run through pasture and rangeland)

Utility facilities (including substations, pipelines, tank farms, pumping stations, parking and storage areas, non-irrigated ditch banks, and fence rows)

Fence rows

Natural areas

Forest site preparation

APPLICATION RECOMMENDATIONS

WEED TYPE	RATE /ACRE
Annual	½ to 1½ pts
Biennial	½ to 3 pts
Perennial	½ to 4 pts
Woody Brush and Vines	½ to 4 pts

See label for specific rates and timings of applications.

Retreatments may be made as needed; however, do not exceed a total of 4 pts (2 lbs a.i.) of Vanquish per treated acre during a growing season.

Better Choices. Better Business.
www.nufarm.com/us

For specific application rates, directions, mixing instructions and precautions, read the product label. Please visit www.nufarm.com/us to download a full label.

©2009 Nufarm. Important: Always read and follow label instructions. Vanquish® is a trademark of a Syngenta Group Company.

09-VM-0030

