### FIRST AID

IF INHALED: Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call the Nation Pesticide Information Center at 1-800-858-7378.

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

## CAUTION

Do not use in nurseries or rooms where infants, ill or aged persons are contained. Do not install directly over or within 12 feet of any food handling or dispensing area. Large drafts or forced ventilation may reduce or eliminate the insecticidal efficiency of these installations.

When using this product as a space spray in food processing plants, foods must be removed or covered during treatment. Apply only when the facility is not in operation. All food processing surfaces must be thoroughly cleaned with an appropriate cleaning agent and rinsed with potable water before reuse.

### PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE. Contents under pressure. Keep away from heat, sparks and flame. Do not puncture or incinerate container. Exposure to temperatures above 130 degrees Fahrenheit

# 1% Pyrethrins

- @ 30 DAY SUPPLY
- Kills flies, mosquitoes and gnats

### **ACTIVE INGREDIENTS:**

| Pyrethrins                           | 1.0%  |
|--------------------------------------|-------|
| *Piperonyl butoxide, technical       |       |
| N-Octyl bicycloheptene dicarboximide |       |
| NERT ÍNGRÉDIENTS                     | 94.0% |
|                                      |       |

\*Equivalent to 1.60% (butylcarbityl) (6-Propylpiperonyl) Ether and 0.4% related compounds

\*\*Contains petroleum hydrocarbons

EPA Reg No 47000-7

EPA Est No 47000-IA-01

# **KEEP OUT OF REACH OF CHILDREN** CAUTION

Net Weight 6.5 oz.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR USE IN: Food handling and food preparation areas of restaurants, and food processing plants, stores farm buildings, dairies, barns, kennels, factories, homes, schools, hotels, motels, offices, ships, planes (cargo areas only), supermarkets, food warehouses, bottling plants, hospitals, nursing homes, day-care centers, milk and egg handling areas of dairies and chicken houses.

For use in Automatic Dispensers:

One dispensing unit should be installed for each 6,000 cubic feet of space to be treated. The Dispenser activates once every 15 minutes, after two hours of operation, enough insecticide is suspended in the air to kill a substantial proportion of flies, mosquitoes, and gnats present. Usually the effectiveness will be noticeable within one hour after the Dispenser is activated. If less than 24hour control is required, the Dispenser should be set to start one hour before control is desired and run one hour after control is no longer needed. Keep in mind that such factors as air flow rate, size of space treated, humidity, and room temperatures all affect insect activity and control. Therefore, one unit per 6,000 cubic feet should be considered as an average needed with adjustments made depending on specific conditions at place of usage. As with any method of insect control, best results are achieved when sanitation and other positive insect-prevention practices are followed.

LD-44-T contains a highly effective insecticide formulation specifically designed for use in automatic mist dispensing units around food handling establishments, food processing establishments, restrooms, dining rooms, and restaurants where flies, gnats, flying moths, and mosquitoes are an annovance.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool, dry place away from children, preferably a secure storage area. CONTAINER DISPOSAL: Do Not Puncture or Incinerate! If Empty: Place in trash or offer for recycling if available. If Partly Filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

Manufactured by: Chem-Tech, Ltd. Des Moines, IA 50321

