

Revision date : 2013/04/12 Page: 1/9
Version: 5.0 (30579742/SDS_CPA_US/EN)

1. Product and Company Identification

Company
BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA

24 Hour Emergency Response Information CHEMTREC: 1-800-424-9300 BASF HOTLINE: 1-800-832-HELP (4357)

Substance number: 000000563847 Synonyms: Pyraclostrobin

2. Hazards Identification

Emergency overview

WARNING:

May be fatal if swallowed.

Can cause moderate eye irritation.

Avoid contact with the skin, eyes and clothing.

See Product Label for additional precautionary statements.

State of matter: liquid Colour: light green Odour: odourless

Potential health effects

Primary routes of exposure:

Routes of entry for solids and liquids include eye and skin contact, ingestion and inhalation. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquified gases.

Acute toxicity:

Relatively nontoxic after short-term inhalation. Moderately toxic after single ingestion. Relatively nontoxic after short-term skin contact.

Irritation / corrosion:

May cause moderate but temporary irritation to the eyes. May cause moderate irritation to the skin.

Sensitization:

Skin sensitizing effects were not observed in animal studies.

There is no evidence of a skin-sensitizing potential.

Medical conditions aggravated by overexposure:

Individuals with pre-existing diseases of the respiratory system, skin or eyes may have increased susceptibility to excessive exposures.

Revision date : 2013/04/12 Page: 2/9

Version: 5.0 (30579742/SDS_CPA_US/EN)

Potential environmental effects

Aquatic toxicity:

Very toxic (acute effect) to aquatic organisms.

Terrestrial toxicity:

With high probability not acutely harmful to terrestrial organisms.

3. Composition / Information on Ingredients

CAS Number	Content (W/W)	<u>Chemical name</u>
175013-18-0	23.3 %	Pyraclostrobin
77-78-1	< 0.1 %	dimethyl sulphate
	> 75.0 %	Proprietary ingredients

4. First-Aid Measures

General advice:

First aid providers should wear personal protective equipment to prevent exposure. Remove contaminated clothing. Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or physician for treatment advice. Have the product container or label with you when calling a poison control center or doctor or going for treatment.

If inhaled:

Remove the affected individual into fresh air and keep the person calm. Assist in breathing if necessary.

If on skin:

Rinse skin immediately with plenty of water for 15 - 20 minutes.

If in eyes:

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing.

If swallowed:

Rinse mouth and then drink plenty of water. Do not induce vomiting. Never induce vomiting or give anything by mouth if the victim is unconscious or having convulsions. Immediate medical attention required.

Note to physician

Antidote: No known specific antidote. Treatment: Treat symptomatically.

5. Fire-Fighting Measures

Flash point: Non-flammable.
Autoignition: not applicable

Flammability: not determined

Suitable extinguishing media:

water spray, dry powder, foam, carbon dioxide

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, nitrogen oxides, sulfur oxides, Bromine compounds, chlorine compounds The substances/groups of substances mentioned can be released in case of fire.

Protective equipment for fire-fighting:

Wear self-contained breathing apparatus and chemical-protective clothing.

Revision date : 2013/04/12 Page: 3/9

Version: 5.0 (30579742/SDS_CPA_US/EN)

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

6. Accidental release measures

Personal precautions:

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

Environmental precautions:

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Cleanup:

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Handling

General advice:

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect against heat. Protect contents from the effects of light. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid aerosol formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Sources of ignition should be kept well clear. Avoid extreme heat. Keep away from oxidizable substances. Electrical equipment should conform to national electric code. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Storage

General advice:

Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination.

Storage incompatibility:

General advice: Segregate from foods and animal feeds.

Temperature tolerance

Protect from temperatures below: 0 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

Revision date : 2013/04/12 Page: 4/9
Version: 5.0 (30579742/SDS_CPA_US/EN)

8. Exposure Controls and Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

dimethyl sulphate OSHA PEL 1 ppm 5 mg/m3; Skin Designation;

The substance can be absorbed through the skin.

ACGIH TWA value 0.1 ppm; Skin Designation;

The substance can be absorbed through the skin.

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and vapours. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Remove contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form: liquid, suspension
Odour: odourless
Colour: light green

pH value: approx. 4.6 - 6.6 (1 %(m), 25 °C)

Freezing point: approx. 0 °C Information applies to the solvent. Boiling point: approx. 100 °C Information applies to the solvent.

Density: approx. 1.07 g/cm3 (20 °C) approx. 8.9296 (68 °F)

Lb/USg

Revision date: 2013/04/12 Page: 5/9 Version: 5.0 (30579742/SDS_CPA_US/EN)

Partitioning coefficient noctanol/water (log Pow): not applicable

Viscosity, dynamic: Solubility in water: approx. 1,514 Pa.s

(approx. 20 °C) dispersible

10. Stability and Reactivity

Conditions to avoid:

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

Substances to avoid:

strong oxidizing agents, strong bases, strong acids

Hazardous reactions:

The product is chemically stable.

Hazardous polymerization will not occur. No hazardous reactions if stored and handled as prescribed/indicated.

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

> 350 °C (DSC (DIN 51007))

Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released.

Corrosion to metals:

Corrosive effects to metal are not anticipated.

Oxidizing properties:

not fire-propagating

11. Toxicological information

Acute toxicity

Oral:

Type of value: LD50 Species: rat (male/female)

Value: approx. 455 mg/kg (OECD Guideline 423)

Inhalation:

Type of value: LC50 Species: rat (male/female)

Value: 5.06 mg/l (OECD Guideline 403)

Exposure time: 4 h An aerosol was tested.

Dermal:

Type of value: LD50 Species: rat (male/female)

Value: > 5,000 mg/kg (OECD Guideline 402)

Irritation / corrosion

Skin:

Species: rabbit

Result: moderately irritating Method: OECD Guideline 404

Revision date: 2013/04/12 Page: 6/9 Version: 5.0 (30579742/SDS_CPA_US/EN)

Eye:

Species: rabbit Result: non-irritant

Method: OECD Guideline 405

Sensitization:
Buehler test

Species: guinea pig

Result: Skin sensitizing effects were not observed in animal studies.

Method: OECD Guideline 406

Repeated dose toxicity

Information on: pyraclostrobin

Assessment of repeated dose toxicity:

After repeated exposure the prominent effect is local irritation. The substance may cause damage to the

olfactory epithelium after repeated inhalation.

Genetic toxicity

Information on: Pyraclostrobin

No mutagenic effect was found in various tests with microorganisms and mammalian cell culture. The

substance was not mutagenic in a test with mammals.

Carcinogenicity

Information on: Pyraclostrobin

In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not

observed.

Reproductive toxicity

Information on: Pyraclostrobin

The results of animal studies gave no indication of a fertility impairing effect.

Development:

Information on: Pyraclostrobin

Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental

animals.

12. Ecological Information

Fish

Information on: pyraclostrobin

Acute:

Cyprinus carpio/LC50 (96 h): > 0.0121 - < 0.0258 mg/l Lepomis macrochirus/LC50 (96 h): > 0.0196 - < 0.0335 mg/l

Oncorhynchus mykiss/LC50 (96 h): 0.00616 mg/l

Aquatic invertebrates

Information on: pyraclostrobin

Acute:

Revision date: 2013/04/12 Page: 7/9 Version: 5.0 (30579742/SDS_CPA_US/EN)

Daphnia magna/EC50 (48 h): 0.0157 mg/l

Aquatic plants

Information on: pyraclostrobin
Toxicity to aquatic plants:
green algae/EC50 (96 h): > 0.843 mg/l

Non-Mammals

Information on: pyraclostrobin
Other terrestrial non-mammals:
bobwhite quail/LD50: > 2,000 mg/kg

bobwhite quail:

mallard duck/LC50: > 5,000 ppm Honey bee/LD50: > 100 ug/bee

Not readily biodegradable (by OECD criteria).

Bioaccumulation

Information on: pyraclostrobin OECD-Guideline 305 Rainbow trout Bioconcentration factor 379 - 507

Rainbow trout Bioconcentration factor 379 - 507 Accumulation in organisms is not to be expected.

Environmental mobility:

Information on: pyraclostrobin

Assessment transport between environmental compartments:

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container disposal:

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

14. Transport Information

Land transport USDOT

Revision date : 2013/04/12 Page: 8/9

Version: 5.0 (30579742/SDS_CPA_US/EN)

Sea transport

IMDG

Hazard class: 9
Packing group: III
ID number: UN 3082
Hazard label: 9, EHSM
Marine pollutant: YES

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(contains PYRACLOSTROBIN)

Air transport

IATA/ICAO

Hazard class: 9
Packing group: III
ID number: UN

ID number: UN 3082 Hazard label: 9, EHSM

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

(contains PYRACLOSTROBIN)

15. Regulatory Information

Federal Regulations

Registration status:

Chemical TSCA, US blocked / not listed
Crop Protection TSCA, US released / exempt

OSHA hazard category: Acute target organ effects reported; Toxic - oral; Toxic - inhalation

EPCRA 311/312 (Hazard categories): Acute;

State regulations

State RTK
MA, NJ, PACAS Number
77-78-1Chemical name
dimethyl sulphate

CA Prop. 65:

THIS PRODUCT CONTAINS A CHEMICAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

16. Other Information

Refer to product label for EPA registration number.

Recommended use: fungicide

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible

Revision date: 2013/04/12 Page: 9/9 Version: 5.0 (30579742/SDS_CPA_US/EN)

fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

SDS Prepared by:

BASF NA Product Regulations msds@basf.com SDS Prepared on: 2013/04/12

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. **END OF DATA SHEET**