



Two Modes of Action. One Powerful Weapon.

With preventive and curative control, one application of Aloft® Insecticide effectively combats insect pests. Prevent troublesome surface- and soil-feeding turf pests - including white grubs - with a single early treatment or knock down existing pests with flexible application options from April to September.

Plus, Aloft LC SC attacks Red Imported Fire Ants. EPA approved for fire ant control, Aloft LC SC takes them down within seven days and lasting residual control keeps them down.

KEY BENEFITS

- Two modes of action for excellent control of insect pests, including white grubs
- Provides both preventive and curative protection
- Flexible application options apply April through early September
- Fast, systemic control and lasting residual control with one product
- Granular and SC formulations available

ALOFT LC SC FOR FIRE ANT CONTROL

- Effective control within seven days
- Labeled for use in the fall as a preventive treatment option
- User-friendly SC formulation for quick application
- Season long control when integrated with a Distance® FAB program

EPA REG. NO.	LC G LC SC	59639-215 59639-213
ACTIVE INGR.	LC G LC SC	clothianidin (0.25%), bifenthrin (0.125%) clothianidin (24.7%), bifenthrin (12.3%)
FORMULATION	LC G LC SC	granular suspension concentrate
CHEM. FAMILY	neonicotinoid, pyrethroid	
IRAC NO.	3 and 4A	
SIGNAL WORD	LC G LC SC	caution warning
RESTRICTED	no	
PACKAGE SIZE		30 lb bag 4 x 64 fl oz case
* Not registered in	Now Vork	Florida pendina

^{*} Not registered in New York, Florida pending













KEY USES

Airports

Arboretums

Athletic fields

Business complexes

Cemeteries

Industrial complexes

Parks and recreation areas

Playgrounds

Residences

Schoolyards

KEY PESTS CONTROLLED

(See product label for complete list)

Armyworms

Billbugs

Black turfgrass Ataenius

Chinch bugs*

Cutworms

European crane fly

Grasshoppers

Leafhoppers

Mole crickets

Pillbugs

Sod webworms

Sowbugs

Spittle bug

Sugarcane grub

White grubs:

Asiatic garden beetle

European chafer

Green June beetle

Japanese beetle

Northern masked chafer

Phyllophaga spp. (May or June beetle)

Oriental beetle

Southern masked chafer

ALOFT LC SC ONLY

Fire ants (Red Imported)

USE SUMMARY

RATES

Aloft® LC G	1.8 - 3.6 lbs/1,000 sq ft
Aloft® LC SC	

Red Imported Fire Ants: 0.46 fl oz Aloft LC SC/1,000 sq ft (control) 0.33 fl oz Aloft LC SC/1,000 sq ft (suppression)

See label for complete directions for use.

APPLICATION RESTRICTIONS

Do not apply more than a total of 23.3 oz of Aloft LC SC (0.4 lb of clothianidin active ingredient, 0.2 lb bifenthrin) per acre per season.

Do not apply more than a total of 160 lbs of Aloft LC G (0.4 lb of clothianidin active ingredient, 0.2 lb bifenthrin) per acre per season.

If the maximum season limit of Aloft LC SC or G has been applied and pest populations require additional treatments, use another non-clothianidin-based registered pesticide labeled for control of the targeted insects. You may also use additional products containing bifenthrin as long as the maximum amount of bifenthrin does not exceed 0.4 lb per acre per season for use in lawns and perimeters.

See label for complete application restrictions.



^{*} Use Arena® Insecticide for areas where pyrethroid resistant chinch bugs are known or suspected.