| Naterial Safety Data Sh  | neet  |
|--|---|
| DuPont <sup>™</sup> Pastora <sup>®</sup> H                         | lerbicide   |
| Version 2.4  |   |
| evision Date 04/16/2010  | Ref. 130000043462   |
| his SDS adhoros to the stand                                       | dards and regulatory requirements of the United States and may not meet the regulatory  |
| equirements in other countries                                     |   |
| ECTION 1. PRODUCT AND  | COMPANY IDENTIFICATION  |
| Product name<br>Tradename/Synonym                                  | <ul> <li>DuPont<sup>™</sup> Pastora<sup>®</sup> Herbicide</li> <li>DPX-Q2A31 71.25WG Blend<br/>B12748177</li> <li>NICOSULFURON (2-[[(4,6-dimethoxypyrimidin-2-<br/>yl)aminocarbonyl]aminosulfonyl]-N,N-dimethyl-3-pyridinecarboxamide)<br/>METSULFURON METHYL (Methyl 2-[[[((4-methoxy-6-methyl-1,3,5-triazin-</li> </ul> |
| MSDS Number  | 2yl)amino]carbonyl]amino]sulfonyl]benzoate)<br>: 130000043462   |
| Manufacturer   |   |
| Manufacturer   | : DuPont<br>1007 Market Street<br>Wilmington, DE 19898  |
| Product Information<br>Medical Emergency<br>Transport Emergency    | <ul> <li>1-800-441-7515 (outside the U.S. 1-302-774-1000)</li> <li>1-800-441-3637 (outside the U.S. 1-302-774-1139)</li> <li>CHEMTREC: 1-800-424-9300 (outside the U.S. 1-703-527-3887)</li> </ul>  |
| ECTION 2. HAZARDS IDEN<br>Emergency Overview                       | TIFICATION  |
| CAUTION!   | larmful if absorbed through skin. Avoid contact with skin, eyes and clothing. Avoid mist.   |
| Potential Health Effects<br>This section includes po<br>the label. | otential acute adverse effects which could occur if this material is not used according to  |
| Skin   | : May cause: Irritation with discomfort or rash.  |
| Eyes   | : May cause: Irritation with discomfort, pain, redness, or visual impairment.   |
| Carcinogenicity<br>None of the compon<br>IARC, NTP, or OSH         | nents present in this material at concentrations equal to or greater than 0.1% are listed by A, as a carcinogen.  |
|  |   |
|  |   |

### DuPont<sup>™</sup> Pastora<sup>®</sup> Herbicide

Version 2.4

Revision Date 04/16/2010

Ref. 130000043462

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Component          | CAS-No.     | Concentration |
|--------------------|-------------|---------------|
| Nicosulfuron       | 111991-09-4 | 56.2 %        |
| Metsulfuron methyl | 74223-64-6  | 15 %          |
| Inert Ingredients  |             | 28.8 %        |

#### **SECTION 4. FIRST AID MEASURES**

| Eye contact    |  |
|----------------|--|
|                | : Hold eye open and rinse slowly and gently with water for 15-20 minutes.<br>Remove contact lenses, if present, after the first 5 minutes, then continue<br>rinsing eye. Call a poison control center or doctor for treatment advice.  |
| Inhalation     | : No specific intervention is indicated as the compound is not likely to be hazardous. Consult a physician if necessary.   |
| Ingestion      | : Call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person.  |
| General advice | <ul> <li>Have the product container or label with you when calling a poison control<br/>center or doctor, or going for treatment.</li> <li>For medical emergencies involving this product, call toll free 1-800-441-3637.</li> <li>See Label for Additional Precautions and Directions for Use.</li> </ul> |

Fire and Explosion Hazard : Not a fire or explosion hazard.



# QU POND

## DuPont<sup>™</sup> Pastora<sup>®</sup> Herbicide

Version 2.4

| Revision Date 04/16/2010                                  | Ref. 130000043462   |  |  |  |
|---|---|--|--|--|
| Suitable extinguishing media<br>Firefighting Instructions | <ul> <li>Water spray, Foam, Dry chemical, Carbon dioxide (CO2)</li> <li>In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.</li> <li>Evacuate personnel and keep upwind of fire. If area is heavily exposed to fire and if conditions permit, let fire burn itself out since water may increase the area contaminated. Cool containers / tanks with water spray. Runoff from fire control may be a pollution hazard. Do not allow run-off from fire fighting to enter drains or water courses.</li> </ul> |  |  |  |
|   | ASE MEASURES<br>G MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-<br>AL PROTECTIVE EQUIPMENT during clean-up.  |  |  |  |
| Safeguards (Personnel)                                    | : Evacuate personnel, thoroughly ventilate area, use self-contained breathing apparatus. Wear personal protective equipment.  |  |  |  |
| Spill Cleanup   | : Sweep up and shovel into suitable containers for disposal.  |  |  |  |
| Accidental Release Measures                               | : Prevent material from entering sewers, waterways, or low areas.<br>Follow applicable Federal, State/Provincial and Local laws/regulations.  |  |  |  |
| SECTION 7. HANDLING AND STO                               | DRAGE   |  |  |  |
| Handling (Personnel)                                      | : Wash hands thoroughly with soap and water after handling and before eating,<br>drinking, chewing gum, using tobacco, or using the toilet. Remove<br>clothing/PPE immediately if material gets inside. Wash thoroughly and put on<br>clean clothing.   |  |  |  |
| Storage   | : Do not contaminate water, other pesticides, fertilizer, food or feed in storage.<br>Store in original container. Store in a cool, dry place. Keep out of the reach of children.   |  |  |  |
| SECTION 8. EXPOSURE CONTR                                 | OLS/PERSONAL PROTECTION   |  |  |  |
| Engineering controls                                      | : When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.   |  |  |  |
|   | 3 / 8   |  |  |  |
|   |   |  |  |  |

| QU POND |
|---------|
|         |
|         |
|         |

| DuPont <sup>™</sup> | Pastora <sup>®</sup> | Herbicide |
|---------------------|----------------------|-----------|
|                     |                      |           |

Version 2.4

| Revision Date 04/16/2010  | Ref. 130000043462   |  |  |
|---|---|--|--|
| Personal protective equipment<br>Skin and body protection             | <ul> <li>Applicators and other handlers must wear:<br/>Long sleeved shirt and long pants<br/>Chemical-resistant gloves, Category A (such as butyl rubber, natural rubber, neoprene rubber, or nitrile rubber), all greater than or equal to 14 mils<br/>Shoes plus socks<br/>PPE required for early entry to treated areas that is permitted under the<br/>Worker Protection Standard and that involves contact with anything that has<br/>been treated, such as plants, soil, or water, is:<br/>Coveralls<br/>Chemical-resistant gloves, Category A (such as butyl rubber, natural rubber,<br/>neoprene rubber, or nitrile rubber), all greater than or equal to 14 mils<br/>Shoes plus socks</li> </ul> |  |  |
| Protective measures   | : Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Use this product in accordance with its label.  |  |  |
| Exposure Guidelines<br>Exposure Limit Values<br>Nicosulfuron<br>AEL * | (DUPONT) 5 mg/m3 8 & 12 hr. TWA Respirable dust.  |  |  |
| Metsulfuron methyl<br>AEL *   | (DUPONT) 10 mg/m3 8 & 12 hr. TWA  |  |  |

\* AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.

| Form  | : solid   |  |  |  |
|---|---|--|--|--|
| Color   | : light brown, tan  |  |  |  |
| Odor  | : slight  |  |  |  |
| рН  | : 4.3 - 5.3   |  |  |  |
| Density   | : 0.54 - 0.66 g/ml  |  |  |  |
| CTION 10. STABILITY                                   | AND REACTIVITY  |  |  |  |
|   | AND REACTIVITY<br>: Stable at normal temperatures and storage conditions. |  |  |  |
| CTION 10. STABILITY A<br>Stability<br>Incompatibility |   |  |  |  |

## DuPont<sup>™</sup> Pastora<sup>®</sup> Herbicide

Version 2.4

Revision Date 04/16/2010

Ref. 130000043462

### SECTION 11. TOXICOLOGICAL INFORMATION

| DuPont <sup>™</sup> Pastora <sup>®</sup> Herbicide<br>Inhalation 4 h LC50 | : | > 5.6 mg/l , rat  |
|---|---|---|
| Dermal LD50   | : | > 2,000 mg/kg , rabbit  |
| Oral LD50   | : | > 5,000 mg/kg , rat   |
| Skin irritation   | : | slight irritation, rabbit   |
| Eye irritation  | : | Moderate eye irritation, rabbit   |
| Sensitisation   | : | Animal test did not cause sensitization by skin contact., guinea pig  |
| Further information   | : | Information given is based on data on the components and the toxicology of similar products.                                  |
| Nicosulfuron<br>Carcinogenicity   | : | Animal testing did not show any carcinogenic effects.   |
| Mutagenicity  | : | Tests on bacterial or mammalian cell cultures did not show mutagenic<br>effects.<br>Did not cause genetic damage in animals.  |
| Reproductive toxicity   | : | Animal testing showed no reproductive toxicity.   |
| Teratogenicity  | : | Did not show teratogenic effects in animal experiments.   |
| Metsulfuron methyl<br>Repeated dose toxicity                              | : | The following effects occurred at levels of exposure that significantly exceed those expected under labeled usage conditions. |
|   |   | Oral<br>rat<br>Reduced body weight gain, Organ weight changes, Liver  |
|   |   | Dermal<br>rabbit<br>Skin irritation   |
| Carcinogenicity   | : | Did not show carcinogenic effects in animal experiments.  |
|   |   | 5 / 8   |





| DuPont <sup>™</sup> Pastora <sup>®</sup> Herbic     | ide   |
|---|---|
| Version 2.4   |   |
| Revision Date 04/16/2010                            | Ref. 130000043462   |
| Mutagenicity  | : Did not show mutagenic effects in animal experiments.   |
|   | Did not cause genetic damage in cultured bacterial cells.   |
|   | Genetic damage in cultured mammalian cells was observed in some laboratory tests but not in others. |
| Reproductive toxicity                               | : Animal testing did not show any effects on fertility.   |
| Teratogenicity                                      | : Animal testing showed no developmental toxicity.  |
| SECTION 12. ECOLOGICAL INFORM                       | ΜΑΤΙΟΝ  |
| Aquatic Toxicity<br>Nicosulfuron<br>96 h LC50       | : Oncorhynchus mykiss (rainbow trout) > 1,000 mg/l  |
| 96 h LC50   | : Lepomis macrochirus (Bluegill sunfish) > 1,000 mg/l   |
| 48 h EC50   | : Daphnia magna (Water flea) > 1,000 mg/l   |
| 90 d  | : NOEC Oncorhynchus mykiss (rainbow trout) 24 mg/l  |
| 21 d  | : NOEC Daphnia magna (Water flea) 43 mg/l   |
| Metsulfuron methyl<br>96 h LC50                     | : Oncorhynchus mykiss (rainbow trout) > 150 mg/l  |
| 96 h LC50   | : Lepomis macrochirus (Bluegill sunfish) > 150 mg/l   |
| 72 h ErC50  | : Pseudokirchneriella subcapitata (green algae) 0.857 mg/l  |
| Toxicity to other organisms<br>Nicosulfuron<br>LD50 | : Colinus virginianus (Bobwhite quail) > 2,250 mg/kg<br>Oral  |
| LC50  | : Colinus virginianus (Bobwhite quail) > 5,620 mg/kg<br>Dietary                                     |
| LC50  | : Anas platyrhynchos (Mallard duck) > 5,620 mg/kg<br>Dietary  |
| Metsulfuron methyl<br>LD50                          | : Anas platyrhynchos (Mallard duck) > 2,510 mg/kg   |
|   | 6 / 8   |

| uPont <sup>™</sup> Pas | stora <sup>®</sup> Herbicide                         |   |  |  |  |  |
|------------------------|--|---|--|--|--|--|
| ersion 2.4             |  |   |  |  |  |  |
| evision Date 04/1      | 6/2010   | Ref. 130000043462   |  |  |  |  |
| LC50                   | : Col  | : Colinus virginianus (Bobwhite quail) > 5,620 mg/kg  |  |  |  |  |
| Additional eco         | whe<br>high<br>or c                                  | : Environmental Hazards: Do not apply directly to water, or to areas<br>where surface water is present, or to intertidal areas below the mean<br>high water mark. Do not contaminate water when cleaning equipment<br>or disposing of equipment washwaters or rinsate. Do not apply<br>where/when conditions favour runoff. |  |  |  |  |
| ECTION 13. DISF        | POSAL CONSIDERATIONS                                 |   |  |  |  |  |
| Waste Disposa          | use of this<br>disposal fa                           | Do not contaminate water, food or feed by disposal. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Treatment, storage, transportation, and disposal must be in accordance with applicable federal, state/provincial, and local regulations.            |  |  |  |  |
| Container Disp         | Refer to th<br>The contai<br>DO NO RE<br>Do not trar | Refilling and Disposal:<br>e product label for instructions.<br>ner must only be refilled with this pesticide product.<br>EUSE THE CONTAINER FOR ANY OTHER PURPOSE.<br>nsport if this container is damaged or leaking.<br>nt of a major spill, fire or other emergency, call 1-800-441-3637 day                             |  |  |  |  |
|                        |  |   |  |  |  |  |
| IATA_C                 | UN-Number  | : 3077  |  |  |  |  |
|                        | Proper shipping name                                 | : Environmentally hazardous substance, solid, n.o.s. (Nicosulfuron)   |  |  |  |  |
|                        | Class  | : 9   |  |  |  |  |
|                        | Packing group<br>Labelling No.                       | : III<br>: 9MI  |  |  |  |  |
|                        | UN-Number<br>Proper shipping name                    | <ul> <li>: 3077</li> <li>: Environmentally hazardous substance, solid, n.o.s.<br/>(Nicosulfuron)</li> </ul>   |  |  |  |  |
| IMDG                   | r topor ompping name                                 | UNGOSUIUIOID  |  |  |  |  |
| IMDG                   | Class<br>Packing group                               | : 9<br>: III  |  |  |  |  |

| Material Safety Data She   | et   |  | QU PONT,  |
|--|--|--|---|
| DuPont <sup>™</sup> Pastora <sup>®</sup> He                                | rbicide  |  |   |
| Version 2.4  |  |  |   |
| Revision Date 04/16/2010   | F  | Ref. 130000043462  |   |
| Labelling<br>Marine po   |  | : 9<br>: yes (Nicosulfuron)  |   |
| Not regulated as a hazardo   | us material by DOT   |  |   |
| SECTION 15. REGULATORY IN  | FORMATION  |  |   |
| SARA 313 Regulated Chemical(s)   | known CAS  | This material does not contain any<br>numbers that exceed the threshol<br>by SARA Title III, Section 313.  |   |
| EPA Reg. No.   | Protection A<br>Rodenticide<br>a manner ind  | d States this product is regulated b<br>gency (EPA) under the Federal In<br>Act (FIFRA). It is a violation of Fe<br>consistent with its labeling. Read<br>t is excluded from listing requirement | secticide, Fungicide and<br>ederal law to use this product in<br>and follow all label directions. |
| California Prop. 65  |  | nown to the State of California to<br>arm: none known  | cause cancer, birth defects or  |
| SECTION 16. OTHER INFORM   | ATION  |  |   |
| DuPont <sup>™</sup> , Pastora <sup>®</sup><br>are trademarks of E. I. du P | ont de Nemours an  | d Company  |   |
| Contact person   | : DuPont Crop  | Protection, Wilmington, DE, 1989   | 8, Phone: 1-888-638-7668  |
| date of its publication. The is storage, transportation, disp              | nformation given is<br>bosal and release a<br>he specific material<br>in any process, unle | designed only as a guidance for<br>nd is not to be considered a warra<br>designated and may not be valid<br>ess specified in the text.   |   |
|  |  |  |   |
|  |  | 8 / 8  |   |
|  |  |  |   |