

# MATERIAL SAFETY DATA SHEET

## TOP GUN™ ALL-WEATHER BAIT BLOCK RODENTICIDE

**JT EATON**™  
SINCE 1932

1393 East Highland Road  
Twinsburg, OH 44087 • U.S.A.

### SECTION 1 • IDENTIFICATION

#### IDENTITY:

TOP GUN ALL-WEATHER BAIT BLOCK RODENTICIDE  
EPA Registration No. 67517-66-56  
ACTIVE INGREDIENT CHEMICAL NAME: Bromethalin  
CHEMICAL FAMILY: Diphenylamines  
Manufacturer's Name:  
J.T. EATON & CO., INC.  
1393 East Highland Road  
Twinsburg, Ohio 44087  
Date Prepared: June 15, 2014

**HMIS Rating:** Health: 1  
Flammability: 1  
Reactivity: 0  
Personal Protection: Safety glasses and Rubber gloves.

Emergency Telephone Number: 1-800-664-9042 or  
National Pesticide Telecommunications Network at 1-800-858-7378  
Telephone Number for Information:  
9 AM to 5 PM EST - 330-425-7801

### SECTION 2 HAZARDOUS INGREDIENTS

HAZARDOUS COMPONENTS	CAS NUMBER	PEL	STEL	<-OSHA LIMITS ->		OPTIONAL
				CEILING	ACGIH TLV	
Bromethalin N-Methyl-2,4,-dinitro-N- (2,4,6-tribromophenyl)- 6- (Trifluoromethyl) Benzenamine C <sub>14</sub> H <sub>7</sub> Br <sub>3</sub> F <sub>3</sub> N <sub>3</sub> O <sub>4</sub>	63333-35-7	N/A	N/A	N/A	N/A	0.01

### SECTION 3 • PHYSICAL / CHEMICAL DATA

BOILING POINT: (F): N/A  
VAPOR PRESSURE: (mm hg): N/A  
VAPOR DENSITY: (AIR = 1): N/A  
SOLUBILITY IN H<sub>2</sub>O: Insoluble  
APPEARANCE / ODOR: Green paraffin blocks. Grain like odor.

BULK DENSITY: 42 pounds per cubic foot  
MELTING POINT: >130° F  
EVAPORATION RATE (Butyl Acetate = 1): N/A  
% VOLATILE: Negligible  
SPECIFIC GRAVITY (H<sub>2</sub>O = 1): N/A

### SECTION 4 • FIRE & EXPLOSION HAZARD DATA

FLASH POINT (Method Used) - N/A  
FLAMMABLE LIMITS: Not Established LEL: N/A UEL: N/A  
EXTINGUISHING MEDIA: Same as for surrounding fire.

SPECIAL FIRE FIGHTING PROCEDURES: None  
UNUSUAL FIRE & EXPLOSION HAZARDS: None.

### SECTION 5 • REACTIVITY DATA

CHEMICAL STABILITY: Stable.  
CONDITIONS TO AVOID: None.

INCOMPATIBLE MATERIALS: None known.  
HAZARDOUS POLYMERIZATION: Will not occur

### SECTION 6 • HEALTH HAZARD DATA

ROUTES OF ENTRY: INHALATION? SKIN? INGESTION?  
NO YES YES

HEALTH HAZARDS (ACUTE and CHRONIC):  
Toxicity of Bromethalin Bait Blocks.

Dog Oral LD <sub>50</sub>	47 g/kg	Rabbit LD <sub>50</sub>	130 g/kg
Cat Oral LD <sub>50</sub>	18 g/kg	Adult Quail LD <sub>50</sub>	46 g/kg
Monkey Oral LD <sub>50</sub>	50 g/kg	Oral (rats) LD <sub>50</sub>	20 g/kg

CARCINOGENICITY: NO

NTP? IARC MONOGRAPH? OSHA REGULATED?  
NO NO NO

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:

In the case of an acute massive dose in humans as may occur with ingestion, any of the following signs may be expected: headache, confusion, personality change, tremors, convulsive seizures, coma, marked respiratory distress or death. In the case of human ingestion of sublethal doses (chronic toxicity) the individual should be observed closely for signs of numbness, incoordination, headache, and mild confusion.

**FIRST AID PROCEDURES continued:****EYES:** Immediately flush eyes with plenty of water for at least 5 minutes.**SKIN:** If splashed on skin, wash thoroughly with soap and water.**INHALATION:** NONE**INGESTION:** The suggested treatment of bromethalin toxicity in the adult human can be divide into three categories. Appropriate dosages for children must be carefully adjusted according to weight. Measures to be taken are:

1. Limit further absorption by inducing emesis. This could be done by agitating the back of the throat, giving 1 or 2 tablespoons of Syrup of Ipecac, etc. This should be followed by administering activated charcoal, milk, beaten eggs, or suspension of flour or starch. NOTE: If no convulsions are present,

gastric lavage could be done.

2. Treatment of convulsions by standard anticonvulsant therapy, diazepam, diphenylhydantoin, and barbiturate should be instituted. These treatments have been shown to prolong survival in rats which have received large doses of bromethalin.

3. Treatment of cerebral edema and increased cerebrospinal fluid pressure should be done in the hospital. Treatment of this syndrome would largely depend on the severity since rodent studies have shown that these effects are reversible in large part within seven days. Treatment would involve the use of an osmotic diuretic, such as mannitol and corticosteroid therapy (dexamethasone) and furosemide.

**SECTION 7 • PRECAUTIONS FOR SAFE HANDLING**

IN CASE MATERIAL IS RELEASED OR SPILLED: Sweep up and place in a suitable container.

WASTE DISPOSAL METHOD: Dispose of in an approved landfill.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Store in a cool, dry place away from foodstuffs.

**SECTION 8 • CONTROL MEASURES**

RESPIRATORY PROTECTION: N/A

VENTILATION: LOCAL EXHAUST: N/A

SPECIAL: None

MECHANICAL EXHAUST: NONE

PROTECTIVE GLOVES: Chemically impervious gloves.

EYE PROTECTION: Safety glasses as needed for other activities. OTHER PROTECTIVE EQUIPMENT: None

WORK / HYGIENIC PRACTICES: Avoid contact with skin. Wash hands thoroughly, standard good practices.

**SECTION 9 • CALIFORNIA ADDENDUM****(PROPOSITION 65) SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986**

The following specific warnings are hereby given relative to substances that the State of California has identified as carcinogens and/or reproductive hazards under Proposition 65: None

WARNING: N/A

WARNING: N/A

**SECTION 10 • SARA TITLE III HAZARD CATEGORY**

For Reporting Under Sections 311 &amp; 312

Immediate - YES

Delayed - YES

Fire - NO

Reactive - NO

Sudden Release of Pressure - NO

**SECTION 11 • SHIPPING INFORMATION****HAZARD CLASS:** D.O.T. Placarding Not Required**BILL OF LADING DESCRIPTION:** Rodenticide ITEM 102120 Class 60

Manufacturer makes no warranty, express or implied, other than indicated on Label and MSDS. Customer assumes all risk of use and/or handling of this material when such use and / or handling is contrary to Label and MSDS.

**This product does not meet the definition of any hazard class and therefore is not regulated for DOT, IATA/ICAO, and IMDG transportation.**

All information contained in this Material Safety Data Sheet is furnished free of charge and is intended for your evaluation. In our opinion the information is, as of the date of this Material Safety Data Sheet, reliable, however, it is your responsibility to determine the suitability of the information for your use. You are advised not to construe the information as absolutely complete since additional information may be necessary or desirable when particular, exceptional or variable conditions or circumstances exist or because of applicable laws or government regulations. Therefore, you should use this information only as a supplement to other information gathered by you and you must make independent determinations of the suitability and completeness of the information from all sources to assure both proper use of the material described herein and the safety and health of employees. Accordingly, no guarantee expressed or implied is made by J.T. Eaton & Co., Inc. as to the results to be obtained based upon your use of the information nor does J.T. Eaton & Co., Inc. assume any liability arising out of your use of the information.