

# Spray for Foliar Diseases.



# Drench for Root Diseases.



Biological Fungicide for foliar spray or soil drench Actinovate® SP is a high concentration of patented beneficial bacteria on a 100% water soluble powder. This powerful new product effectively controls/ suppresses a wide range of soil borne diseases (when applied as a drench) and foliar diseases (when applied as a spray). Use Actinovate SP for Pythium, Phytophthora, Fusarium, Rhizoctonia and other root decay fungi. Foliar diseases controlled/suppressed include powdery mildew and Botrytis. In fact, when used as a preventative, researchers have seen Actinovate SP work as well or better than most chemicals.

## How it Works

Actinovate SP contains a high concentration of the microorganism *Strepto-myces lydicus* strain WYEC 108. When introduced into the root zone or applied to foliage this microbe colonizes and grows around the structure of the plant. While settling in the foliage or the root's rhizosphere the Actinovate microbe forms a synergetic relationship, feeding off of the plant's waste materials while secreting beneficial and protective by-products. This combination of the colonization and the protective secretions forms a defensive barrier around the plant which in turn suppresses and controls soil pathogens. In addition, *S. lydicus* also has been shown to prey on certain pathogens, disrupting their cell walls and disabling them in the process.

## Trials & Research

*Streptomyces lydicus* WYEC 108 is currently used in products by thousands of turf, agriculture and horticulture professionals around the world. To request both published and unpublished research please contact the Natural Industries corporate office or your local products supplier.











Actinovate on the hunt. Using an electron microscope, the above magnified photo shows Streptomyces lydicus strain WYEC 108 attacking and disrupting the membrane of a Pythium strand.

## Safe & Effective For:

- Annuals
- Perennials
- Turf & Golf Courses
- Trees & Shrubs
- Approved for Organic Use
- Landscape Transplants
- Vegetables, Herbs & Many More

Call 888.261.4731 for more information.

## Fight Powdery Mildew!



### Directions For Use

Actinovate SP can be used as a drench, liquid feed, irrigation, spray or similar application. It is compatible with fungicides, fertilizers and biological stimulants. Actinovate SP is 100% soluble and does not need constant agitation to keep it suspended in a solution. It will not clog machinery.

**Soil Drench:** Dissolve 4-6 oz. of Actinovate SP into 100 gallons to create solution. Apply until soil is saturated without runoff. Apply at seeding, transplant, as a dip or even late in plant development.

**Foliar Spray:** Use 6-12 oz. of Actinovate SP in 100 gallons of water per acre. Apply to all areas of foliage and plant to wet just prior to run off. Reapply every 7-14 days depending on disease pressure. For best results use in conjunction with a spreader-sticker.



Technical Information Organism (Active Ingredient): Streptomyces lydicus strain WYEC 108 Patented worldwide

#### **General Description:**

Saprophytic rhizosphere colonizing actinomycete Soil Diseases Suppressed/Controlled: Pythium, Phytophthora, Fusarium, Rhizoctonia, Verticillium

and other root decay fungi

Foliar Diseases Suppressed/Controlled: Powdery Mildew, *Botrytis* and others

Origin:

Isolated from the roots of a linseed plant

#### Temperature Tolerance:

Spores of *S. lydicus* are regularly frozen at very low temperatures for storage. Temperatures above 140° F will sterilize the spores. Germinated spores (which occur, for instance, when spores are added to growing media) can survive the same temperature range as long as there is adequate moisture and a food source such as peat, bark or humates available. **PH Tolerance:** 

S. lydicus can survive a pH range 4.0-10.0. The organism is active between 5.0 and 9.1 pH.

#### Longevity:

The spore shelf life is guaranteed at 12 months. Germinated spores can survive much longer if there is a food source, moisture and minimal microbial competition (such as in bagged potting soil). Storing in refrigerated conditions may extend the shelf life.

#### **Chemical Compatibility:**

*S. lydicus* is compatible with all chemical fungicides and fertilizers. Bactericides at levels above 75 ppm should not be used in conjunction with it.

#### **UV Sensitivity:**

The bacterium is not UV sensitive.

#### **By-Products:**

Siderophore, chitenase, and several antibiotics.











## Use Actinovate SP in Greenhouses, Nurseries, Turf and More.

#### Help Your Plants When You Transplant!



Marigolds two weeks after being transplanted into flower beds. Left is untreated. Right is treated with Actinovate SP.

Attack Root Disease!



Poinsettia treated exclusively with Actinovate SP.

#### Combat Turf Diseases Like Brown Patch & Take-All Patch!



Below white line is untreated. Above the white line, treated with Actinovate SP.

Features & Benefits

- Controls/Suppresses foliar diseases including
  Powdery Mildew and *Botrytis*
- Controls soil borne diseases including Pythium, Rhizoctonia, Fusarium, Phytophthora, Verticillium and many more soil diseases
- Low 1-Hour REI for foliar application
- Non-phytotoxic, will not burn plants
- 100% Soluble, does not clog machinery, does not need agitation to keep suspended in solution
- · Survives in soil even when plant is not present
- Multiple modes of anti-fungal action

### For Use On

Annuals, Perennials, Turf & Golf Courses, Trees & Shrubs, Landscape Plants, Greenhouse Vegetables, & Herbs.



Natural Industries, Inc. 6223 Theall Road Houston, TX 77066 www.naturalindustries.com 888.261.4731 **DISTRIBUTED BY:**