

Rev. Date: 05/29/2012 MSDS Date: 01/12/2007

DISCUS® TABLETS

EPA Registration Number: 432-1457-59807

I. CHEMICAL PRODUCT AND COMPANY INFORMATION

Product Name DISCUS TABLETS Chemical Name : Imidacloprid Chemical Family Chloronicotine **EPA Registration No.** 432-1457-59807 Product Use Description: Insecticide Company Name OHP, INC. P.O. BOX 230

MAINLAND, PA 19451

(800) 659-6745

TRANSPORTATION

EMERGENCY CHEMTREC:

(800) 424-9300

EMERGENCY (24 hours a day) and PRODUCT

INFORMATION (800) 356-4647

II. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Average % by Weight
Imidacloprid	138261-41-3	20.00
Copper(II)-sulphate pentahydrate	7758-99-8	0.50

III. HAZARDS IDENTIFICATION

NOTE: Please refer to Section XI for detailed toxicological information.

EMERGENCY OVERVIEW

Caution! Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes and clothing.

Physical State : tablet

Odor weak characteristic Appearance beige to brown

Routes of Exposure Ingestion, Skin contact,

Eye contact

Immediate Effects

Eye May cause mild irritation

to eyes. Avoid contact

with eyes.

Skin May cause slight irritation.

Harmful if absorbed through skin. Avoid con-

tact with skin and clothing. Ingestion Harmful if swallowed. Do

not take internally.

Chronic or Delayed Long-Term

This product or its components may have target organ effects.

Potential Environmental Effect

Highly toxic to bees. Highly toxic to aquatic invertebrates. May cause long-term adverse effects in the aquatic environment.

IV. FIRST AID MEASURES

product container or label with you when calling a poison control center or doctor or going for treatment.

Eye Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.

Skin Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person.

Notes to Physician

Treatment There is no specific antidote. Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.

V. FIRE FIGHTING MEASURES

Fire and Explosion Hazards

In the event of fire the following can be released: hydrogen chloride (HCI) Hydrogen cyanide (hydrocyanic acid) carbon monoxide (CO) nitrogen oxides (NOx)

Suitable Extinguishing Media

Water spray, Carbon dioxide (CO2), Foam, Sand

Fire Fighting Instructions

Contain the spread of the fire-fighting media. Do not allow run-off from fire fighting to enter drains or water

In the event of fire and/or explosion do not breathe fumes. Use breathing apparatus.



DISCUS® TABLETS

EPA Registration Number: 432-1457-59807

VI. ACCIDENTAL RELEASE MEASURES	Respiratory Protection No personal respiratory			
Personal Precautions : Avoid contact with spilled product or contaminated surfaces. Wear personal protective equipment. Unprotected persons must be	protective equipment normally required. When respiratory protection is necessary under the conditions of use, wear a NIOSH approved respirator.			
kept away.	Exposure Limits	NIOOLI DEI		
Methods for Cleaning Up : Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations.	Copper(II)-sulphate 7758-99-8 pentahydrate	NIOSH REL Expressed as: Form of exposure:	1 mg/m3 as Cu Dust and mist.	
Additional Advice : Information regarding personal protective equipment, see section VIII. Information regarding waste disposal, see section XIII.		ACGIH NIC TWA Expressed as: Form of exposure: US CA OEL TWA I	0.05 mg/m3 as Cu Respirable fraction. PEL 1 mg/m3	
VII. HANDLING AND STORAGE		Expressed as:	as Cu	
Handling Procedures : Use only in area provided with appropriate exhaust ventilation.		Form of exposure:	Dust and mist.	
Storing Procedures : Store in a cool, dry place	IX. PHYSICAL AND CHE	MICAL PROPER	TIES	
and in such a manner as to prevent cross contamination	Appearance	: beige to b	rown	
with other pesticides, fertilizers, food, and feed. Store in	Physical State	: tablet		
original container and out of the reach of children, preferably in a locked storage area.	Odor weak characteristic			
Work/Hygienic Procedures: Wash hands thoroughly	X. STABILITY AND REA	CTIVITY		
with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.	Chemical Stability : Stable under recommended storage conditions.			
Take off contaminated clothing and shoes immediately. Then wash thoroughly and put on clean clothing.	Hazardous Reactions No hazardous reactions when stored and handled according to prescribed instructions.			
Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves	moti detions.			
clean them with soap and water. As soon as practical,	XI. TOXICOLOGICAL IN	FORMATION		
wash thoroughly and change into clean clothing.	Acute toxicity data have b			
Min/Max Storage Temperatures	tions containing a higher p			
Do not transport or store above 50 °C / 122 °F	imidacloprid. The non-acu nical-grade active ingredie		uns to the tech-	
VIII. EXPOSURE CONTROLS / PERSONAL PROTECTION	Acute Oral Toxicity	_		
General Protection : Follow all label instructions. Train employees in safe use of the product.	male rat: LD50: female rat: LD5	: 2,591 mg/kg 50: 1,858 mg/kg		
	Acute Dermal Toxicity			
Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use	male/female cor	mbined rat: LD50:	> 2,000 mg/kg	
detergent and warm/tepid water. Keep and wash PPE	Acute Inhalation Toxi			
separately from other laundry.	male rat: LC50:			
Engineering Controls Maintain exposure levels	Exposure time: Determined in the		rosol	
below the exposure limit through the use of general and	Determined in the form of liquid aerosol. female rat: LC50: 2.8 mg/l			
local exhaust ventilation.	Exposure time:			
Eye/Face Protection Safety glasses		he form of liquid ae	rosol.	

male rat: LC50: 10.8 mg/l

Determined in the form of liquid aerosol.

Extrapolated from the 4 hr LC50.

Exposure time: 1 h

Hand Protection Chemical resistant nitrile

Body Protection Wear long-sleeved shirt

and long pants and shoes plus socks.

rubber gloves



DISCUS® TABLETS

EPA Registration Number: 432-1457-59807

female rat: LC50: 11.2 mg/l

Exposure time: 1 h

Determined in the form of liquid aerosol.

Extrapolated from the 4 hr LC50.

Skin Irritation

rabbit: Slight irritation.

Eye Irritation

rabbit: Minimally irritating.

Sensitization

guinea pig: Non-sensitizing.

Chronic Toxicity

Imidacloprid caused thyroid and/or liver effects in

chronic dietary studies in rats and dogs.

Assessment Carcinogenicity

Imidacloprid was not carcinogenic in studies in

rats and mice.

NTP None.

IARC None.

OSHA None. **Reproductive & Developmental Toxicity**

REPRODUCTION: Imidacloprid was not a reproductive toxicant in a multigeneration study in rats.

DEVELOPMENTAL TOXICITY: Imidacloprid is not considered a primary developmental toxicant in rats

and rabbits. Developmental effects were observed at doses that caused maternal toxicity.

Neurotoxicity Imidacloprid showed slight behavioral and activity changes only at the highest dose tested in neurotoxicity studies in rats. There were no correlating morphological changes observed in the neural tissues.

Mutagenicity Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

XII. ECOLOGICAL INFORMATION

Toxicity to Fish

Rainbow trout (Oncorhynchus mykiss)

LC50: 211 mg/l Exposure time: 96 h

The value mentioned relates to the active ingredient imidacloprid.

Toxicity to Aquatic Plants

Desmodesmus subspicatus

Growth rate EC50: > 10 mg/lExposure time: 72 h

The value mentioned relates to the active ingredi-

ent imidacloprid.

Acute Toxicity to Aquatic Invertebrates

Water flea (Daphnia magna)

EC50: 85 mg/l Exposure time: 48 h

The value mentioned relates to the active ingredi-

ent imidacloprid.

Environmental Precautions

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. Apply this product as specified on the label.

XIII. DISPOSAL CONSIDERATIONS

General Disposal Guidance . . .: Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste disposal facility.

Container Disposal Do not re-use empty containers. Dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State/Provincial and local authorities, by burning. If burned, stay out of smoke.

XIV. TRANSPORT INFORMATION

TRANSPORTATION CLASSIFICATION:

Not regulated for Transportation

FREIGHT CLASSIFICATION

Insecticides or Fungicides, N.O.I.; other than poison

XV. REGULATORY INFORMATION

EPA Registration No. 432-1457-59807

US Federal Regulations

TSCA list

None.

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None.

SARA Title III - Section 302 - Notification and Information

None

SARA Title III - Section 313 - Toxic Chemical Release Reporting

> Copper(II)-sulphate 7758-99-8 1.0% pentahydrate



DISCUS® TABLETS

EPA Registration Number: 432-1457-59807

US States Regulatory Reporting CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

Copper(II)-sulphate 7758-99-8 CA, CT, IL, MI, NJ, PA pentahydrate

Canadian Regulations

Canadian Domestic Substance List

None.

Environmental

CERCLA

Copper(II)-sulphate 7758-99-8 10 lbs pentahydrate

Clean Water Section 307 Priority Pollutants

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

XVI. OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Reactivity - 1 Others - none

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Revision Date: 01/12/2007

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions.

Discus is a registered trademark of OHP, Inc.



OHP 982412 05/12