

EXIREL®

Version 2.0

Revision Date 05/27/2015 Ref. 130000050443

This SDS adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : EXIREL®

Tradename/Synonym : DPX-HGW86 100 SE

Cyantraniliprole 100 g/l SE

Cyazypyr[™] 100 SE

DuPont[™] DPX-HGW86 10 SE Insect Control

DPX-HGW86 10 SE Cyazypyr[™] 10 SE

Cyantraniliprole: 3-bromo-1-(3-chloro-2-pyridinyl)-N-[4-cyano-2-methyl-6-

[(methylamino)carbonyl]phenyl]-1H-pyrazole-5-carboxamide

Product Use : Insecticide

Restrictions on use :

Do not use product for anything outside of the above specified uses

Manufacturer/Supplier : DuPont

4417 Lancaster Pike

Wilmington, DE 19805, USA

Product Information : 1-800-441-7515 (outside the U.S. 1-302-774-1000) Medical Emergency : 1-800-441-3637 (outside the U.S. 1-302-774-1139)

Transport Emergency : CHEMTREC: +1-800-424-9300 (outside the U.S. +1-703-527-3887)

SECTION 2. HAZARDS IDENTIFICATION

Product hazard category

Skin irritation Category 2
Skin sensitisation Category 1



EXIREL®

Version 2.0

Revision Date 05/27/2015 Ref. 130000050443

Label content

Pictogram :



Signal word : Warning

Hazardous warnings : Causes skin irritation.

May cause an allergic skin reaction.

Hazardous prevention

measures

: Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

Wash skin thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/ attention.

Take off contaminated clothing and wash before reuse.

Dispose of contents/ container to an approved waste disposal plant.

Other hazards

No applicable data available.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Component | CAS-No. | Concentration |
|------------------|-------------|---------------|
| Cyantraniliprole | 736994-63-1 | 10.2 % |
| | | |



EXIREL®

Version 2.0

Revision Date 05/27/2015 Ref. 130000050443

| Alkyl Sulfonate Salt | 1 - 5 % |
|----------------------|---------------|
| | |
| Other Ingredients | 83.8 - 88.8 % |
| | |

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4. FIRST AID MEASURES

General advice : Have the product container or label with you when calling a poison control

center or doctor, or going for treatment.

For medical emergencies involving this product, call toll free 1-800-441-3637.

See Label for Additional Precautions and Directions for Use.

Inhalation : Move to fresh air. If person is not breathing, call 911 or an ambulance, then

give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison

control center or doctor for treatment advice.

Skin contact : Take off all contaminated clothing immediately. Rinse skin immediately with

plenty of water for 15-20 minutes. Call a poison control center or doctor for

treatment advice.

Eye contact : Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Ingestion : No specific intervention is indicated as the compound is not likely to be

hazardous. Consult a physician if necessary.

Most important

symptoms/effects, acute

and delayed

Protection of first-aiders Notes to physician : No applicable data available.

No applicable data available.No applicable data available.



EXIREL®

Version 2.0

Revision Date 05/27/2015 Ref. 130000050443

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Water spray, Foam, Dry chemical, Carbon dioxide (CO2)

Unsuitable extinguishing

media

: High volume water jet, (contamination risk)

Specific hazards : The product is not flammable.

Special protective equipment

for firefighters

: In the event of fire, wear self-contained breathing apparatus. Use personal

protective equipment.

Further information : (on small fires) If area is heavily exposed to fire and if conditions permit, let

fire burn itself out since water may increase the area contaminated. Cool

containers/tanks with water spray.

SECTION 6. ACCIDENTAL RELEASE MEASURES

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Safeguards (Personnel) : Evacuate personnel, thoroughly ventilate area, use self-contained breathing

apparatus. Use personal protective equipment.

Environmental precautions : Prevent material from entering sewers, waterways, or low areas.

Spill Cleanup : Soak up with sawdust, sand, oil dry or other absorbent material. Dispose of in

an approved container. If liquid has been spilt in large quantities clean up

promptly by scoop or vacuum.

Accidental Release Measures : Dispose of in accordance with local regulations.

SECTION 7. HANDLING AND STORAGE

Handling (Personnel) : Wash hands thoroughly with soap and water after handling and before eating,

drinking, chewing gum, using tobacco, or using the toilet. Remove



EXIREL®

Version 2.0

Revision Date 05/27/2015 Ref. 130000050443

clothing/PPE immediately if material gets inside. Wash thoroughly and put on

clean clothing.

Handling (Physical Aspects) : The product is not flammable.

Dust explosion class : No applicable data available.

Storage : Store product in original container only in a location inaccessible to children

and pets. Do not contaminate water, other pesticides, fertilizer, food or feed in storage. Not for use or storage in or around the home. Keep out of the reach

of children.

Storage period : No applicable data available.

Storage temperature : $> 0 \, ^{\circ}\text{C} \, (> 32 \, ^{\circ}\text{F})$

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Personal protective equipment

Skin and body protection : Applicators and other handlers must wear:

Long sleeved shirt and long pants

Shoes plus socks

Chemical-resistant gloves, Category A (such as butyl rubber, natural rubber,

neoprene rubber, or nitrile rubber), all greater than or equal to 14 mils

Applicators and other handlers of the diluted material must wear: shirt, pants,

socks and shoes.

Personal protective equipment required for early entry:

Coveralls

Shoes plus socks

Chemical-resistant gloves, Category A (such as butyl rubber, natural rubber,

neoprene rubber, or nitrile rubber), all greater than or equal to 14 mils

Protective measures : Follow manufacturer's instructions for cleaning/maintaining PPE. If no such

instructions for washables exist, use detergent and hot water. Keep and

wash PPE separately from other laundry.

Exposure Guidelines
Exposure Limit Values

Cyantraniliprole

AEL * (DUPONT) 3 mg/m3 8 hr. TWA AEL * (DUPONT) 2 mg/m3 12 hr. TWA



EXIREL®

Version 2.0

Revision Date 05/27/2015 Ref. 130000050443

Alkyl Sulfonate Salt No applicable data available.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state : liquid
Form : liquid
Color : off-white

Odor : mild, phenol-like

Odor threshold : No applicable data available.

pH : 5.6 at 10 g/l

Melting point/freezing point : Melting point/range

Not available for this mixture.

Boiling point/boiling range : Boiling point/boiling range

97 °C (207 °F)

Flash point : No flash up to boiling point.

Evaporation rate : No applicable data available.

Flammability (solid, gas) : The product is not flammable.

Upper explosion limit : No applicable data available.

Lower explosion limit : No applicable data available.

Vapour Pressure : No applicable data available.

Vapour density : No applicable data available.

^{*} AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.



EXIREL®

Version 2.0

Revision Date 05/27/2015 Ref. 130000050443

Specific gravity (Relative

density)

: No applicable data available.

Bulk density : 0.9 - 1.1 g/cm3

Water solubility : emulsifiable

Solubility(ies) : No applicable data available.

Partition coefficient: n-

octanol/water

: No applicable data available.

Auto-ignition temperature : 358 °C

Auto-ignition temperature

Decomposition temperature : No applicable data available.

Viscosity, kinematic : No applicable data available.

Viscosity, dynamic : No applicable data available.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No applicable data available.

Chemical stability : Stable at normal temperatures and storage conditions.

Possibility of hazardous

reactions

No applicable data available.

Conditions to avoid : Protect from frost.

Incompatible materials : No applicable data available.

Hazardous decomposition

products

No applicable data available.

SECTION 11. TOXICOLOGICAL INFORMATION

EXIREL®

Inhalation 4 h LC50 : > 2.4 mg/l, Rat

Dermal LD50 : > 5,000 mg/kg , Rat

Oral LD50 : > 5,000 mg/kg , multiple species



EXIREL®

Version 2.0

Revision Date 05/27/2015 Ref. 130000050443

Skin irritation : Irritating to skin., Rabbit

Eye irritation : No eye irritation, Rabbit

Minimal effects that do not meet the threshold for classification.

Sensitisation : May cause sensitisation by skin contact., Guinea pig

Cyantraniliprole

Repeated dose toxicity

The following effects occurred at levels of exposure that significantly

exceed those expected under labeled usage conditions.

Oral Rat

- 28 - 90 d

Thyroid effects, Organ weight changes, No effect to neurotoxicity.

Dermal Rat - 28 d

No toxicologically significant effects were found.

Oral Mouse - 90 d

No toxicologically significant effects were found.

Oral Dog - 90 d

altered blood chemistry, Liver effects, Vascular arteritis

Oral

multiple species

- 28 d

Immune System, No toxicologically significant effects were found.

Oral Rat - 14 d

No toxicologically significant effects were found.

Oral



EXIREL®

Version 2.0

Revision Date 05/27/2015

Ref. 130000050443

Dog - 365 d

Liver effects, Gallbladder effects, altered blood chemistry, Vascular

arteritis

Inhalation Rat - 28 d

No toxicologically significant effects were found.

Carcinogenicity : Not classifiable as a human carcinogen.

Animal testing did not show any carcinogenic effects.

Mutagenicity : Tests on bacterial or mammalian cell cultures did not show mutagenic

effects.

Evidence suggests this substance does not cause genetic damage in

animals.

Reproductive toxicity : No toxicity to reproduction

Animal testing showed no reproductive toxicity.

Teratogenicity : Animal testing showed effects on embryo-fetal development at levels

equal to or above those causing maternal toxicity.

Alkyl Sulfonate Salt

Repeated dose toxicity : Skin contact

Rat

-

NOAEL: > 1,000 mg/kgMethod: OECD Test Guideline 410

Mutagenicity : Tests on bacterial or mammalian cell cultures did not show mutagenic

effects.

Evidence suggests this substance does not cause genetic damage in

animals.

Evidence suggests this substance does not cause genetic damage in

cultured mammalian cells.

Evidence suggests this substance does not cause genetic damage in

cultured bacterial cells.

Information given is based on data obtained from similar substances.

Reproductive toxicity : Animal testing showed no reproductive toxicity.

Information given is based on data obtained from similar substances.



EXIREL®

Version 2.0

Revision Date 05/27/2015 Ref. 130000050443

Carcinogenicity

The carcinogenicity classifications for this product and/or its ingredients have been determined according to HazCom 2012, Appendix A.6. The classifications may differ from those listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or those found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition).

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, or OSHA, as a carcinogen.

SECTION 12. ECOLOGICAL INFORMATION

Aquatic Toxicity EXIREL®

48 h EC50 : Daphnia magna (Water flea) 0.232 mg/l

Cyantraniliprole

96 h LC50 : Oncorhynchus mykiss (rainbow trout) > 12.6 mg/l

96 h LC50 : Lepomis macrochirus (Bluegill sunfish) > 13 mg/l

72 h ErC50 : Pseudokirchneriella subcapitata (green algae) > 13 mg/l

7 d ErC50 : Lemna gibba (duckweed) > 12.1 mg/l

Alkyl Sulfonate Salt

96 h ErC50 : Pseudokirchneriella subcapitata (green algae) > 1,000 mg/l see user

defined free text

Additional ecological information : Environmental Hazards: Do not apply directly to water. Drift and runoff

may be hazardous to aquatic organisms in water adjacent to treated areas. Toxic to bees. Do not apply this product if bees are visiting the

treatment area. See product label for additional application

instructions relating to environmental precautions.

SECTION 13. DISPOSAL CONSIDERATIONS

Waste disposal methods -

Product

: Do not contaminate water, food or feed by disposal. Wastes resulting from the use of this product must be disposed of on site or at an approved waste

disposal facility.

Waste disposal methods -

Container

: Container Refilling and Disposal:

Refer to the product label for instructions.



EXIREL®

Version 2.0

IMDG

Revision Date 05/27/2015 Ref. 130000050443

Do not transport if this container is damaged or leaking.

In the event of a major spill, fire or other emergency, call 1-800-441-3637 day

or night.

Contaminated packaging : No applicable data available.

SECTION 14. TRANSPORT INFORMATION

IATA_C UN number : 3082

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.

(Cyantraniliprole)

Class : 9
Packing group : III
Labelling No. : 9MI
UN number : 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

LIQUID, N.O.S. (Cyantraniliprole)

Class : 9
Packing group : III
Labelling No. : 9

Not regulated as a hazardous material by DOT.

SECTION 15. REGULATORY INFORMATION

Other regulations : This Safety Data Sheet is for a pesticide product registered by the US

Environmental Protection Agency (USEPA) and is therefore also subject to certain labeling requirements under US pesticide law (FIFRA). These requirements differ from the classification criteria and hazard information required by OSHA for safety data sheets, and for workplace labels of non-pesticide chemicals. The following is the mandatory hazard information

required by USEPA on the pesticide label:

Caution

Causes eye irritation. Avoid contact with skin, eyes and clothing. Prolonged or

frequently repeated skin contact may cause allergic reactions in some



EXIREL®

Version 2.0

Revision Date 05/27/2015

Ref. 130000050443

individuals. This product is toxic to: Aquatic invertebrates This product is

highly toxic to: Bees

SARA 313 Regulated

Chemical(s)

: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established

by SARA Title III, Section 313.

PA Right to Know

Regulated Chemical(s)

: Substances on the Pennsylvania Hazardous Substances List present at a concentration of 1% or more (0.01% for Special Hazardous Substances):

Propane-1,2-diol

EPA Reg. No. : 352-859

> In the United States this product is regulated by the US Environmental Protection Agency (EPA) under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read and follow all label directions. This product is excluded from listing requirements under EPA/TSCA.

SECTION 16. OTHER INFORMATION

[™] Trademark of E.I. du Pont de Nemours and Company.

Registered trademark of E.I. du Pont de Nemours and Company

Revision Date : 05/27/2015

Contact person : DuPont Crop Protection, Wilmington, DE, 19898, Phone: 1-888-638-7668

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Significant change from previous version is denoted with a double bar.