

SPREADER-STICKER

(commercial 1 gallon formulation)

**FOR INCREASED EFFECTIVENESS OF
INSECTICIDE AND FUNGICIDE SPRAYS,
AND CERTAIN HERBICIDE SPRAYS.**

INGREDIENTS:

Principal Functioning Agents:

Modified phthalic glycerol alkyd resin, Octyl phenoxy polyethoxy ethanol and Isopropanol

CAUTION

KEEP OUT OF REACH OF CHILDREN

PRECAUTIONARY STATEMENTS

Harmful if swallowed. Avoid contact with eyes or skin. Wash thoroughly after handling.

Spreader-Sticker may cause increased skin absorption of pesticides. Follow all precautions for pesticides used with this product.

FIRST AID

IF IN EYES: Flush eyes with plenty of water. Get medical attention.

IF ON SKIN: Wash affected skin with soap and water. Get medical attention if irritation occurs.

IF INHALED: Remove victim to fresh air and assist respiration if indicated.

IF SWALLOWED: Accidental ingestion is not likely to be serious, but medical attention is necessary. Do not induce vomiting without the advice of a physician, due to aspiration potential.

NOTE TO PHYSICIAN: Gastric lavage may be indicated for ingestion. Treat symptomatically. Treatment for spray mixtures containing pesticides should be evaluated in accordance with pesticide toxicity.

DIRECTIONS FOR USE

FOR GENERAL USE IN SPRAY MIXTURES:

<u>(in Gallons Per Acre)</u>			
<u>Conc.</u>	<u>Field & Row Crops</u>	<u>Tree & Orchard</u>	<u>Rate of Spreader- Sticker per 100 gl.</u>
Dilute	100-150	500-1000	1 Pint

Use 16 ounces (1 pint) per acre or 100 gallons of spray. Add to the spray tank after other materials have been thoroughly mixed with water. After adding SA-50 Spreader-Sticker, mix thoroughly before spraying.

IN CONCENTRATE SPRAYS:

<u>(in Gallons Per Acre)</u>			
<u>Conc.</u>	<u>Field & Row Crops</u>	<u>Tree & Orchard</u>	<u>Rate of Spreader- Sticker per 100 gl.</u>
2X	50-80	300-500	1 - 2 Pints
3X	35-50	200-300	1 Quart
5X	20-32	100-200	2 Quarts
10X	10-16	50-100	1 Gallon

Spreader-Sticker is believed to be compatible with most insecticides and fungicides that are not highly alkaline. If separation of spray mixture occurs, do not use. Spreader-Sticker may increase the possibility of plant injury from pesticides. Do not use on plants in bloom.

NON-WARRANTY: Seller makes no warranty, expressed or implied as to the use of this material. Buyer assumes all risk and liability for results obtained by use or handling of this material whether or not in accordance with the directions or claimed so to be.

SPREADER-STICKER

(lawn & garden formulation)

**Provides increased effectiveness of
insecticide and fungicide sprays**

**Disperses spray droplets for a more even
coverage of leaf surfaces**

**Increases residual activity of sprays by
resisting wash-off**

INGREDIENTS:

Modified phthalic glycerol alkyd resin, Octyl phenoxy polyethoxy ethanol and Isopropanol

KEEP OUT OF REACH OF CHILDREN CAUTION

Harmful if swallowed. Avoid contact with eyes or skin. Wash thoroughly after handling. Spreader-Sticker may cause increased skin absorption of pesticides. Follow all precautions for pesticides used with this product.

FIRST AID

IF IN EYES: Flush eyes with plenty of water. Get medical attention.

IF ON SKIN: Wash affected skin with soap and water. Get medical attention if irritation occurs.

IF INHALED: Remove victim to fresh air and assist respiration if indicated.

IF SWALLOWED: Accidental ingestion is not likely to be serious, but medical attention is necessary. Do not induce vomiting without the advice of a physician, due to aspiration potential.

NOTE TO PHYSICIAN: Gastric lavage may be indicated for ingestion. Treat symptomatically. Treatment for spray mixtures containing pesticides should be evaluated in accordance with pesticide toxicity.

Spreader-Sticker is believed to be compatible with most insecticides and fungicides that are not highly alkaline. If separation of spray mixture occurs, do not use. Spreader-Sticker may increase the possibility of plant injury from pesticides. Do not use on plants in bloom.

DIRECTIONS FOR USE

For increased effectiveness of insecticide and fungicide sprays,

**1 Tablespoonful of Spreader-Sticker
per gallon of spray.**

Addition should be made after other materials have been thoroughly mixed with water. Mix well before spraying.

NON-WARRANTY: Seller makes no warranty, expressed or implied as to the use of this material. Buyer assumes all risk and liability for results obtained by use or handling of this material whether or not in accordance with the directions or claimed so to be.

Southern Agricultural Insecticides, Inc.

Palmetto, FL 34220

Hendersonville, NC 28793

Boone, NC 28607