

Revision date : 2017/05/03 Version: 9.1

Page: 1/13 (30222408/SDS_CPA_US/EN)

1. Identification

Product identifier used on the label

PROWL H20 HERBICIDE

Recommended use of the chemical and restriction on use

Recommended use*: herbicide

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company: BASF CORPORATION 100 Park Avenue Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

CHEMTREC: 1-800-424-9300 BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Substance number:	171005
EPA Registration number:	241-418
Molecular formula:	C13 H19 N3 O4
Chemical family:	aniline derivative
Synonyms:	pendimethalin

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Skin Sens.	1B	Skin sensitization
Aquatic Chronic	1	Hazardous to the aquatic environment - chronic

Label elements

Revision date : 2017/05/03 Version: 9.1

Pictogram:	
Signal Word: Warning	
Hazard Statement: H317 H410	May cause an allergic skin reaction. Very toxic to aquatic life with long lasting effects.
Precautionary Statemer P280 P271 P273 P260 P264	nts (Prevention): Wear protective gloves. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Do not breathe mist or vapour. Wash with plenty of water and soap thoroughly after handling.
Precautionary Statemer P312 P305 + P351 + P338 P304 + P340	nts (Response): Call a POISON CENTER or doctor/physician if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF INHALED: Remove person to fresh air and keep comfortable for
P303 + P352 P333 + P311	breathing. IF ON SKIN (or hair): Wash with plenty of soap and water. If skin irritation or rash occurs: Call a POISON CENTER or doctor/physician.
P391 P332 + P313 P362 + P364 P337 + P311	Collect spillage. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. If eye irritation persists: Call a POISON CENTER or doctor/physician.
Precautionary Statemer P403 + P233 P405	nts (Storage): Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Precautionary Statemer P501	nts (Disposal): Dispose of contents/container to hazardous or special waste collection point.

Hazards not otherwise classified

Labeling of special preparations (GHS):

CONTAINS ISOCYANATES. INHALATION OF ISOCYANATE MISTS OR VAPORS MAY CAUSE RESPIRATORY IRRITATION, BREATHLESSNESS, CHEST DISCOMFORT AND REDUCED PULMONARY FUNCTION. OVEREXPOSURE WELL ABOVE THE PEL MAY RESULT IN BRONCHITIS, BRONCHIAL SPASMS AND PULMONARY EDEMA. LONG-TERM EXPOSURE TO ISOCYANATES HAS BEEN REPORTED TO CAUSE LUNG DAMAGE, INCLUDING REDUCED LUNG FUNCTION WHICH MAY BE PERMANENT. ACUTE OR CHRONIC OVEREXPOSURE TO ISOCYANATES MAY CAUSE SENSITIZATION IN SOME INDIVIDUALS, RESULTING IN ALLERGIC RESPIRATORY REACTIONS INCLUDING WHEEZING, SHORTNESS OF BREATH AND DIFFICULTY BREATHING. ANIMAL TESTS INDICATE THAT SKIN CONTACT MAY PLAY A ROLE IN CAUSING RESPIRATORY SENSITIZATION. Revision date : 2017/05/03 Version: 9.1

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

<u>CAS Number</u> 40487-42-1	<u>Weight %</u> 38.7 %	Chemical name pendimethalin
77348-43-7	1.0 - 3.0%	İsocyanic acid, polymethylenepolyphenylene ester,
107-06-2	40.76 PPM	polymer with 1,6-hexanediamine 1,2-dichloroethane

4. First-Aid Measures

Description of first aid measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

If on skin:

Immediately wash thoroughly with soap and water, seek medical attention.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

Most important symptoms and effects, both acute and delayed

Symptoms: orange-red coloured urine caused by dye (not associated with methemoglobinemia) The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

Indication of any immediate medical attention and special treatment needed

Note to physician Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: foam, dry powder, carbon dioxide, water spray

Revision date : 2017/05/03 Version: 9.1

Page: 4/13 (30222408/SDS_CPA_US/EN)

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide, Hydrocarbons, If product is heated above decomposition temperature, toxic vapours will be released. The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting: Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water.

Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

7. Handling and Storage

Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect contents from the effects of light. Protect against heat. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid aerosol formation. Avoid dust formation. Provide means for controlling leaks and spills. Do not return residues to the storage containers. Follow label warnings even after container is emptied. The substance/product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

Protection against fire and explosion:

The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Sources of ignition should be kept well clear. Avoid extreme heat. Keep away from oxidizable substances. Electrical equipment should conform to

Revision date : 2017/05/03 Version: 9.1 Page: 5/13 (30222408/SDS_CPA_US/EN)

national electric code. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

Conditions for safe storage, including any incompatibilities

Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Further information on storage conditions: Keep only in the original container in a cool, dry, wellventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination. The authority permits and storage regulations must be observed. Protect from temperatures below: -5 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

Components with occupational exposure limits

Diphenylmethane-4,4'-	OSHA PEL	CLV 0.02 ppm 0.2 mg/m3 ; CLV 0.02 ppm 0.2
diisocyanate (MDI)		mg/m3 ;
	ACGIH TLV	TWA value 0.005 ppm ;

Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

Personal protective equipment

RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) TC23C Chemical/Mechanical type filter system to remove a combination of particles, gas and vapours. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

Revision date : 2017/05/03 Version: 9.1

General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form:	microencapsulated, suspension	
Odour:	faint odour, nutty	
Odour threshold:	Not determined due to potential health hazard by inhalation.	
Colour:	yellow to brown	
pH value:	approx. 7 - 9	
	(21 °C) (measured with the undiluted	
	substance)	
Melting point:	approx. 0 °C	
Menning point.	Information applies to the solvent.	
Flash point:	> 230 °F	
Flammability:	not highly flammable	
Lower explosion limit:	As a result of our experience with this	
·	product and our knowledge of its	
	composition we do not expect any	
	hazard as long as the product is used	
	appropriately and in accordance with	
	the intended use.	
Upper explosion limit:	As a result of our experience with this	
	product and our knowledge of its	
	composition we do not expect any	
	hazard as long as the product is used appropriately and in accordance with	
	the intended use.	
Autoignition:	354 °C	(DIN EN 14522)
Density:	approx. 9.79 lb/USg	
Denoty:	(68 °F)	
Vapour density:	not applicable	
Partitioning coefficient n-	not applicable	
octanol/water (log Pow):		
Thermal decomposition:	carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen	
	oxide, Hydrocarbons	
	Stable at ambient temperature. If product	
	decomposition temperature toxic vapours	
Viscosity, dynamic:	128 mPa.s	(OECD 114)
	(20 °C)	
Solubility in water:	dispersible	
Molar mass:	281.31 g/mol	
Evaporation rate: Other Information:	not applicable If necessary, information on other physica	al and chemical
	parameters is indicated in this section.	

Revision date : 2017/05/03 Version: 9.1

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Oxidizing properties: not fire-propagating

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

The product is chemically stable. Hazardous polymerization will not occur. No hazardous reactions if stored and handled as prescribed/indicated.

Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

Incompatible materials

strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated., Prolonged thermal loading can result in products of degradation being given off.

Thermal decomposition: Possible thermal decomposition products: carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide, Hydrocarbons Stable at ambient temperature. If product is heated above decomposition temperature toxic vapours may be released.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Relatively nontoxic after single ingestion. Relatively nontoxic after short-term inhalation. Relatively nontoxic after short-term skin contact.

<u>Oral</u> Type of value: LD50 Species: rat (male/female) Value: > 5,000 mg/kg (OECD Guideline 401)

Inhalation

Revision date : 2017/05/03 Version: 9.1 Page: 8/13 (30222408/SDS_CPA_US/EN)

Type of value: LC50 Species: rat (male/female) Value: > 5.23 mg/l (OECD Guideline 403) Exposure time: 4 h An aerosol was tested. No mortality was observed.

Dermal

Type of value: LD50 Species: rat (male/female) Value: > 5,000 mg/kg (OECD Guideline 402)

Assessment other acute effects Assessment of STOT single: Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

The product has not been tested. The statement has been derived from the properties of the individual components.

Irritation / corrosion

Assessment of irritating effects: May cause slight but temporary irritation to the eyes. May cause slight irritation to the skin.

<u>Skin</u> Species: rabbit Result: Slightly irritating.

<u>Eye</u> Species: rabbit Result: Slightly irritating.

<u>Sensitization</u> Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

Mouse Local Lymph Node Assay (LLNA) Species: guinea pig Result: sensitizing Method: OECD Guideline 406

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pendimethalin

Assessment of repeated dose toxicity: No substance-specific organtoxicity was observed after repeated administration to animals. Adaptive effects were observed after repeated exposure in animal studies.

Genetic toxicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Revision date : 2017/05/03 Version: 9.1 Page: 9/13 (30222408/SDS_CPA_US/EN)

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pendimethalin

Assessment of carcinogenicity: In long-term studies in rats the substance induced thyroid tumors. The effect is caused by an animal specific mechanism that has no human counter part. In long-term studies in mice in which the substance was given by feed, a carcinogenic effect was not observed.

Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Experiences in humans

Pendimethalin is a strongly orange-red compound - virtually an aniline dye. Cases have been described of of orange-yellow colouration of urine following heavy exposure of workers to the dust of pendimethalin. Despite its structure as both a nitro-compound and aromatic amine, exposure to pendimethalin is NOT associated with methemoglobinemia.

Other Information

Misuse can be harmful to health.

Symptoms of Exposure

orange-red coloured urine caused by dye (not associated with methemoglobinemia) The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

Medical conditions aggravated by overexposure

Individuals with pre-existing diseases of the respiratory system, skin or eyes may have increased susceptibility to excessive exposures.

12. Ecological Information

Toxicity

Aquatic toxicity Assessment of aquatic toxicity: Very toxic (acute effect) to aquatic organisms.

Toxicity to fish LC50 (96 h) 20.36 mg/l, Oncorhynchus mykiss (OECD Guideline 203, static)

<u>Aquatic invertebrates</u> EC50 (48 h) > 100 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

<u>Aquatic plants</u> EC50 (72 h) 1.49 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201)

Revision date : 2017/05/03 Version: 9.1 Page: 10/13 (30222408/SDS_CPA_US/EN)

No observed effect concentration (72 h) 0.035 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201)

EC50 (7 d) 19.25 mg/l (growth rate), Lemna gibba (OECD guideline 221)

No observed effect concentration (7 d) 1.0 mg/l (growth rate), Lemna gibba (OECD guideline 221)

<u>Assessment of terrestrial toxicity</u> Acutely harmful to terrestrial organisms.

Other terrestrial non-mammals

Information on: pendimethalin LD50 1,421 mg/kg, Anas platyrhynchos Acutely harmful to terrestrial organisms. LD50 49.8 ug/bee, Apis mellifera Acutely harmful to terrestrial organisms.

Persistence and degradability

Elimination information

Information on: pendimethalin

< 10 % CO2 formation relative to the theoretical value (28 d) (OECD 301B; ISO 9439; 92/69/EEC, C.4-C) Not readily biodegradable (by OECD criteria).

Mobility in soil

<u>Assessment transport between environmental compartments</u> The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pendimethalin

The substance will slowly evaporate into the atmosphere from the water surface. Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Additional information

Other ecotoxicological advice: The ecological data given are those of the active ingredient. Do not release untreated into natural waters.

13. Disposal considerations

Waste disposal of substance:

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Revision date : 2017/05/03 Version: 9.1

Container disposal:

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

RCRA: D028

The waste codes are manufacturer's recommendations based on the designated use of the product. Other use and special waste disposal treatment on customer's location may require different wastecode assigments.

14. Transport Information

Land transport USDOT

Not classified as a dangerous good under transport regulations

Sea transport IMDG	
Hazard class: Packing group: ID number: Hazard label: Marine pollutant: Proper shipping name:	9 III UN 3082 9, EHSM YES ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PENDIMETHALIN)
Air transport IATA/ICAO	
Hazard class: Packing group: ID number: Hazard label: Proper shipping name:	9 III UN 3082 9, EHSM ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PENDIMETHALIN)

Further information

DOT: This product is regulated if the amount in a single receptacle exceeds the Reportable Quantity (RQ). Please refer to Section 15 of this MSDS for the RQ for this product.

15. Regulatory Information

Federal Regulations

Registration status:

Crop Protection TSCA, US released / exempt

Chemical TSCA, US blocked / not listed

EPCRA 311/312 (Hazard categories): Acute; Chronic

EPCRA 313:

Page: 11/13 (30222408/SDS_CPA_US/EN)

Revision date : 2017/05/03 Version: 9.1

Page: 12/13 (30222408/SDS_CPA_US/EN)

CAS Number	<u>Chemical name</u>	
40487-42-1	pendimethalin	
<u>CERCLA RQ</u>	CAS Number	<u>C</u>
100 LBS	107-06-2	1

<u>Chemical name</u> 1,2-dichloroethane

State regulations

State RTK	CAS Number	Chemical name
NJ	40487-42-1	pendimethalin

CA Prop. 65:

A risk assessment indicates CA Proposition 65 Safe Harbor criteria are not exceeded when the product is used for agricultural or residential purposes.

NFPA Hazard codes:

Health : 1 Fire: 1 Reactivity: 1 Special:

Labeling requirements under FIFRA

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

CAUTION: Causes eye irritation. HARMFUL IF ABSORBED THROUGH SKIN. HARMFUL IF SWALLOWED. KEEP OUT OF REACH OF CHILDREN. KEEP OUT OF REACH OF DOMESTIC ANIMALS. Avoid contact with the skin, eyes and clothing.

16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2017/05/03

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR

Revision date : 2017/05/03 Version: 9.1 Page: 13/13 (30222408/SDS_CPA_US/EN)

TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. END OF DATA SHEET