



## **Cuproxat® FL: A Natural Fit.**

Cuproxat® FL copper fungicide from Nufarm is engineered with proprietary chemistry to deliver uniform, smaller, precisely sized particles that deliver better plant coverage and better protection against fungal and bacterial diseases. The premium formulation readily mixes in water and stays suspended longer than any other liquid formulation. Plus, Cuproxat FL has a broad label that allows for use on more than 60 different edibles.

### **DEPENDABLE**

- Control key fungal and bacterial diseases with peace of mind
- Excellent crop safety and low use rates
- Broad label of greenhouse and nursery crops including vegetables and herbs

### **INNOVATIVE**

- Consistent, smaller particle size for better coverage and disease control
- Combines the fast activity of copper hydroxide and the long-lasting activity of copper sulfate
- Pours and mixes easily with no sedimentation
- Slower breakdown under irrigation



EPA REG. NO.	55146-151
ACTIVE INGR.	tribasic copper sulfate (27.1%)
FORMULATION	liquid
CHEM. FAMILY	inorganic
FRAC NO.	M1
MODE OF ACT.	multi-site contact activity
REI	24 hours (greenhouse) 48 hours (nursery)
PACKAGE SIZE	4 x 1 gal
APPLICATION	spray

FIELD-GROWN NURSERY



CONTAINER-GROWN NURSERY
GREENHOUSE



CAUTION





### **KEY USES**

Berries, vines and hops

Chives

Conifers

Field crops, including citrus

Greenhouse and shade crops

Ornamentals

Seed dressings

Tropical crops

Turfgrass

Vegetable crops

### **KEY DISEASES CONTROLLED**

(See product label for complete list)

Algal leaf spot

Alternaria flower spot

Alternaria leaf spot

Anthracnose

Bacterial leaf spot

Bacterial soft rot

Bacterial spot

Black spots

Botrytis blight

Botrytis bud rot

Botrytis grey mold

Cercospora leaf spot

Collectrichum spp.

Dieback

Downy mildew

Entomosporium leaf spot

Entomosporium maculate

Exosporium leaf spot

Fire blight

Fungal leaf spot

Leaf spot

Pestalotia leaf spot

Phomopsis stem blight

Phytophthora bud rot

Powdery mildew

Pseudomonas leaf spot

Scab

Septoria leaf spot

Volutella leaf blight

Xanthomonas leaf spot

### **USE SUMMARY**

ORNAMENTALS: For control of bacterial and fungal diseases on foliage, flowers and stems of ornamentals grown in greenhouses, shadehouses, outdoor nurseries and on ornamentals grown in indoor and outdoor landscapes.

Apply at 1.25 pints per 100 gallons as a full cover spray beginning at first sign of disease. Apply 10 to 20 gallons of solution per 1000 square feet. Apply no more than 800 gallons of solution per acre dilute per application (2.0 lb metallic copper per acre). Do not make more than 10 applications at these rates per year. Repeat every 7 to 14 days depending on rainfall and disease severity.

1/3 tbsp or 1 tsp of Cuproxat FL per gallon of water equals 1 pint per 100 gallons.

See label for complete directions for use.

### PROVEN PERFORMANCE

## CUPROXAT' FL

Electron micrograph at 5,000x magnification reveals small, uniform and uniquely shaped particles which provide better coverage and prevent settling.

# PHYTON\* 35

Electron micrograph at 5,000x magnification reveals clusters that prevent complete coverage.