

Printed: 08/21/2015 Revision: 07/21/2015

1. Product and Company Identification

Product Code: 355666

Product Name: Quad Select Premium Ice Melt

Company Name: Select Source LLC

4609 East Booneville New Harmony Road Evansville, IN 47725

Emergency Contact: CHEMTREC 1 (800)424-9300

Synonyms: Ice Melt.

2. Hazards Identification

Serious Eye Damage/Eye Irritation, Category 2A



GHS Signal Word: Warning

GHS Hazard Phrases: Causes serious eye irritation.

GHS Precaution Phrases: Wash hands thoroughly after handling.

Avoid breathing dust.

Wear appropriate personal protective equipment.

GHS Response Phrases: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

If eye irritation persists, get medical advice/attention.

GHS Storage and Disposal

Phrases:

Store in a closed container. Store in a dry place.

Potential Health Effects (Acute and Chronic):

Inhalation: May cause respiratory tract irritation. May be harmful if inhaled.

Skin Contact: May cause skin irritation. May be harmful if absorbed through the skin.

Eye Contact: Exposure to solid may cause pain and redness.

Ingestion: May cause irritation of the digestive tract. May be harmful if swallowed. Ingestion of large

amounts may cause nausea and vomiting, rigidity or convulsions. Continued exposure

can produce coma, dehydration, and internal organ congestion.

3. Composition/Information on Ingredients

CAS#	Hazardous Components (Chemical Name)	Concentration
7647-14-5	5 Sodium chloride	5.00 - 95.0 %
7791-18-6	6 Magnesium chloride (hydrated)	0.100 - 10.0 %
10043-52-	4 Calcium chloride	0.100 - 10.0 %
7447-40-7	Potassium chloride	0.100 - 10.0 %



Printed: 08/21/2015 Revision: 07/21/2015

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: Remove from exposure and move to fresh air immediately. If not breathing, give artificial

respiration. If breathing is difficult, give oxygen. Get medical aid if cough or other

symptoms appear.

Flush skin with plenty of water for at least 15 minutes while removing contaminated In Case of Skin Contact:

clothing and shoes. Get medical aid if irritation develops or persists.

In Case of Eye Contact: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and

lower eyelids. If irritation develops, get medical aid.

Do NOT induce vomiting. Get medical aid if irritation or symptoms occur. In Case of Ingestion:

Never give anything by mouth to an unconscious person. Rinse mouth with water.

Signs and Symptoms Of

Exposure:

To the best of our knowledge, the chemical, physical, and toxicological properties have

not been thoroughly investigated.

Note to Physician: Treat symptomatically and supportively.

5. Fire Fighting Measures

Flash Pt: No data.

LEL: No data. UEL: No data. **Explosive Limits:**

No data. **Autoignition Pt:**

Suitable Extinguishing Media: Substance is noncombustible; use agent most appropriate to extinguish surrounding fire.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand,

MSHA/NIOSH (approved or equivalent), and full protective gear. Substance is

noncombustible.

Flammable Properties and

Hazards:

Not flammable or combustible.

Hazardous Combustion

No data available.

Products:

6. Accidental Release Measures

Protective Precautions, Protective Equipment and Emergency Procedures:

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Environmental Precautions: If possible, dispose of unused product by completely using it for its intended purpose

according to label instructions.

Steps To Be Taken In Case Material Is Released Or Spilled:

Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container. Avoid generating dusty conditions. Provide ventilation. Do not let this product enter the environment except as directed on product label. Sweep up and shovel. Keep in suitable

closed containers for disposal.



Printed: 08/21/2015 Revision: 07/21/2015

7. Handling and Storage

Precautions To Be Taken in Handling:

Use with adequate ventilation. Minimize dust generation and accumulation. Avoid

contact with eyes, skin, and clothing. Avoid ingestion and inhalation.

Precautions To Be Taken in

Store in a closed container and in a dry place.

Storing:

8.	Exposure	Controls	/Persona	I Prote	ection

CAS#	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
7647-14-5	Sodium chloride	No data.	No data.	No data.
7791-18-6	Magnesium chloride (hydrated)	No data.	No data.	No data.
10043-52-4	Calcium chloride	No data.	No data.	No data.
7447-40-7	Potassium chloride	No data.	No data.	No data.

Respiratory Equipment

(Specify Type):

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Respirator protection is not normally required.

Eye Protection:

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Protective Gloves:

Wear appropriate protective gloves to prevent skin exposure. Wear appropriate protective clothing to prevent skin exposure.

Other Protective Clothing: Engineering Controls

(Ventilation etc.):

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use adequate ventilation to keep airborne concentrations low. Good

UEL: No data.

general ventilation should be sufficient to control airborne levels.

9. Physical and Chemical Properties

Physical States: [] Gas [] Liquid [X] Solid

Appearance and Odor: Translucent blue.

No apparent odor.

pH: No data.

Melting Point: ~ 801 C

Boiling Point: ~ 1410 C

Flash Pt: No data.

Evaporation Rate: No data.

Flammability (solid, gas): No data available.

Explosive Limits: LEL: No data.

Vapor Pressure (vs. Air or

mm Hg):

No data.

Vapor Density (vs. Air = 1): No data.

Specific Gravity (Water = 1): ~ 2.153

Bulk density: ~ 68 LB/CF

Solubility in Water: ~ 359 - g/l

Octanol/Water Partition No data.

Coefficient:

Autoignition Pt: No data.

Decomposition Temperature: No data.

Viscosity: No data.



Printed: 08/21/2015 Revision: 07/21/2015

10. Stability and Reactivity

Stability: Unstable [] Stable [X]

Conditions To Avoid -

Incompatible materials, dust generation, exposure to moist air or water.

Instability:

Incompatibility - Materials To Metals. Strong oxidizing agents, strong acids, nitrogen compounds.

Avoid:

Hazardous Decomposition or Hydrogen chloride, sodium oxide, chlorine.

Byproducts:

Possibility of Hazardous

Will occur [] Will not occur [X]

Reactions:

Conditions To Avoid -

No data available.

Hazardous Reactions:

11. Toxicological Information

Toxicological Information: Epidemiology: The only adverse effect noted from occupational exposures have been

mild nasal irritation with exposure to high dust levels and hypertension.

Teratogenicity: No information available. Reproductive Effects: No information found.

Mutagenicity: No information found. Neurotoxicity: No information found.

CAS# 7647-14-5: Sodium chloride:

Acute toxicity, TDLo, Oral, Human, 12357. MG/KG, 23 D; American Journal of Digestive Diseases., For publisher information, see DDSCDJ, New York, NY, Vol/p/yr: 21,180, 1954

Acute toxicity, LD50, Oral, Rat, 3.000 GM/KG; Toxicology and Applied Pharmacology, Academic Press, Inc., 1 E. First St., Duluth, MN 55802, Vol/p/yr: 20,57, 1971

Acute toxicity, LC50, Inhalation, Rat, > 42.00 GM/M3, 1 H; BIOFAX Industrial Bio-Test Laboratories, Inc., Data Sheets., Vol/p/yr: 20-3, 1971

Standard Draize Test, Skin, Species: Rabbit, 50.00 MG, 24 H; BIOFAX Industrial Bio-Test Laboratories, Inc., Data Sheets., Vol/p/yr: 20-3, 1971

Standard Draize Test, Eyes, Species: Rabbit, 100.0 MG; BIOFAX Industrial Bio-Test Laboratories, Inc., Data Sheets., Vol/p/yr: 20-3, 1971

CAS# 10043-52-4: Calcium chloride:

Acute toxicity, LD50, Oral, Mouse, 1940. MG/KG; Oyo Yakuri. Pharmacometrics., Oyo Yakuri Kenkyukai, CPO Box 180, Sendai 980-91 Japan, Vol/p/yr: 14,963, 1977



Printed: 08/21/2015 Revision: 07/21/2015

Acute toxicity, LD50, Oral, Rat, 2600. MG/KG; "Sbornik Vysledku Toxixologickeho Vysetreni Latek A Pripravku,", Institut Pro Vychovu Vedoucicn P, Marhold, J.V., Institut Pro Vychovu Vedoucicn, Pracovniku Chemickeho, Prumyclu Praha Czechoslovakia, Vol/p/yr: -,8, 1972

Standard Draize Test, Eyes, Species: Rabbit, 500.0 MG, 24 H; "Sbornik Vysledku Toxixologickeho Vysetreni Latek A Pripravku,", Institut Pro Vychovu Vedoucicn P, Marhold, J.V., Institut Pro Vychovu Vedoucicn, Pracovniku Chemickeho, Prumyclu Praha

Czechoslovakia, Vol/p/yr: -,8, 1972

Irritation or Corrosion: Serious eye damage/eye irritation.

Carcinogenicity/Other

Carcinogenicity

Information:

CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
7647-14-5	Sodium chloride	n.a.	n.a.	n.a.	n.a.
7791-18-6	Magnesium chloride (hydrated)	n.a.	n.a.	n.a.	n.a.
10043-52-4	Calcium chloride	n.a.	n.a.	n.a.	n.a.
7447-40-7	Potassium chloride	n.a.	n.a.	n.a.	n.a.

12. Ecological Information

General Ecological Information:

Other: Do not empty into drains.

CAS# 7647-14-5: Sodium chloride:

LC50, Rainbow Trout (Oncorhynchus mykiss), egg(s), 7461000. UG/L, 96 H, Mortality, Water temperature: 9.8 C C, pH: 7.65, Hardness: 46.00 mg/L; Criteria Document Data. Memorandum to D.J. Call, Center for Lake Superior Environmental Studies, University of Wisconsin Superior September 16, 1026, Speker, P. L. 1026.

Wisconsin-Superior. September 16, 1986, Spehar, R.L., 1986

CAS# 7447-40-7: Potassium chloride:

LC50, Rainbow Trout (Oncorhynchus mykiss), 1610000. UG/L, 48 H, Mortality, Water temperature: 17.0 C C, pH: 7.70, Hardness: 40.00 MG/L; Toxicity of Candidate Molluscicides to Zebra Mussels (Dreissena polymorpha) and Selected Nontarget Organisms, Waller, D.L., J.J. Rach, W.G. Cope, L.L. Marking, S.W. Fisher, and H.

Dabrowska, 1993

Bioaccumulative Potential: No information found.

Mobility in Soil: No data available.

13. Disposal Considerations

Waste Disposal Method:

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed. RCRA U-Series: None listed.



Printed: 08/21/2015 Revision: 07/21/2015

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not Regulated.

DOT Hazard Class: UN/NA Number:

15. Regulatory Information EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists CAS# **Hazardous Components (Chemical Name)** S. 302 (EHS) S. 304 RQ S. 313 (TRI) 7647-14-5 Sodium chloride No No 7791-18-6 Magnesium chloride (hydrated) No No Nο 10043-52-4 Calcium chloride No No No 7447-40-7 Potassium chloride No No Nο This material meets the EPA [X] Yes [] No Acute (immediate) Health Hazard 'Hazard Categories' defined [] Yes [X] No Chronic (delayed) Health Hazard Fire Hazard for SARA Title III Sections [] Yes [X] No **311/312** as indicated: Yes [X] No Sudden Release of Pressure Hazard [] Yes [X] No Reactive Hazard CAS# **Hazardous Components (Chemical Name)** Other US EPA or State Lists 7647-14-5 Sodium chloride CAA HAP, ODC: No; CWA NPDES: No; TSCA: Yes -Inventory; CA PROP.65: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL: No; WI Air: No 7791-18-6 Magnesium chloride (hydrated) CAA HAP, ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL: No; WI Air: No 10043-52-4 Calcium chloride CAA HAP, ODC: No; CWA NPDES: No; TSCA: Yes -Inventory; CA PROP.65: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL: No; WI Air: No 7447-40-7 Potassium chloride CAA HAP, ODC: No; CWA NPDES: No; TSCA: Yes -Inventory; CA PROP.65: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL: No; WI Air: No



Printed: 08/21/2015 Revision: 07/21/2015

16. Other Information

Revision Date: 07/21/2015

Hazard Rating System:



Additional Information About No data available.

This Product:

Company Policy or Disclaimer:

Disclaimer and Limitation of Liability: This data sheet was developed from information on the constituent materials identified herein and does not relate to the use of such materials in combination with any other material or process. No warranty is expressed or implied with respect to the completeness or ongoing accuracy of the information contained in this data sheet, and Select Source LLC disclaims all liability for reliance on such information. This data sheet is not a guarantee of safety. Users are responsible for ensuring that they have all current information necessary to safely use the product described by this data sheet for their specific purposes.