

# BROADLEAF WEED KILLER with TRIMEC® HERBICIDE



CONTROLS: Dandelion, Chickweed, Knotweed, Plantain, Henbit, Spurge and many other broadleaf weeds, as listed on the back panel.

<b>ACTIV</b>	<b>ΙΕ</b>	<b>INGR</b>	<b>EDIEI</b>	NTS:
--------------	-----------	-------------	--------------	------

2,4-dichlorophenoxyacetic acid	1.37%
(+)-(R)-2-(2 methyl-4-chlorophenoxy)propionic acid	0.31%
Dicamba: 3,6-dichloro-o-anisic acid	0.13%
OTHER INGREDIENTS:	98.19%
TOTAL	100.00%

#### THIS PRODUCT CONTAINS:

27.4 lb. 2,4-dichlorophenoxyacetic acid equivalent per ton.

6.2 lb. (+)-(R)-2-(2 methyl-4-chlorophenoxy)propionic acid equivalent per ton.

2.6 lb. 3,6-dichloro-o-anisic acid equivalent per ton.

Isomer Specific by AOAC Methods

EPA REG. NO. 2217-640-961

(L) (D) EPA Est. 961-PA-01; 961-IL-01 Superscript used is first letter of lot number.

TRIMEC® is a registered trademark of PBI/Gordon Corporation.

# CAUTION

See back panel for complete Precautionary Statements and Directions for Use, including First Aid and Storage and Disposal.



Distributed by:
Lebanon Seaboard Corporation

1600 E. Cumberland St. • Lebanon, PA 17042 1-800-233-0628 • (717) 273-1685 Manufactured in U.S.A.

NET WT. 20 LBS. (9.07 KG) Covers up to 10,000 sq. ft.



CONTROLS: Dandelion, Chickweed, Knotweed, Plantain, Henbit, Spurge and many other broadleaf weeds, as listed on the back panel.

ACTIVE INGREDIENTS:	
2,4-dichlorophenoxyacetic acid	1.37%
(+)-(R)-2-(2 methyl-4-chlorophenoxy)propionic acid	0.31%
Dicamba: 3,6-dichloro-o-anisic acid	0.13%
OTHER INGREDIENTS:	98.19%
TOTAL	100.00%

#### THIS PRODUCT CONTAINS:

27.4 lb. 2,4-dichlorophenoxyacetic acid equivalent per ton.

6.2 lb. (+)-(R)-2-(2 methyl-4-chlorophenoxy) propionic acid equivalent per ton.

2.6 lb. 3,6-dichloro-o-anisic acid equivalent per ton.

Isomer Specific by AOAC Methods

EPA REG. NO. 2217-640-961

(L) (D) EPA Est. 961-PA-01; 961-IL-01 Superscript used is first letter of lot number.

TRIMEC<sup>®</sup> is a registered trademark of PBI/Gordon Corporation.

# KEEP OUT OF REACH OF CHILDREN

## CAUTION

See back panel for complete Precautionary Statements and Directions for Use, including First Aid and Storage and Disposal.

#### STOP! READ THE ENTIRE LABEL FIRST. OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.

### PRECAUTIONARY STATEMENTS

#### **Hazards to Humans & Domestic Animals**

**CAUTION:** Harmful if absorbed through skin. Harmful if inhaled. Avoid contact with skin, eyes, or clothing. Avoid breathing dust. Causes moderate eye irritation. Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Wear long-sleeved shirt and long pants, socks, shoes, and gloves. Remove and wash contaminated clothing before reuse.

	FIRST AID
If on skin or on clothing:	Take off contaminated clothing.
	Rinse skin immediately with plenty of water for 15 - 20 minutes.
	Call a poison control center or doctor for treatment advice.
If inhaled:	<ul> <li>Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferable mouth-to-mouth, if possible.</li> </ul>
	Call a poison control center or doctor for further treatment advice.
If in eyes:	Hold eye open and rinse slowly and gently with water for 15 - 20 minutes.
-	<ul> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> </ul>
	<ul> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
If swallowed:	Call a poison control center or doctor immediately for treatment advice.
	<ul> <li>Have person sip a glass of water if able to swallow.</li> </ul>
	<ul> <li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li> </ul>
	<ul> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
	iner or label with you when calling a poison control center or doctor or going for treatment.
For additional informati	on in case of emergency, call toll free 1-877-800-5556.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish and aquatic invertebrates and may adversely affect non-target plants. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run off to water bodies or drainage systems.

This chemical has properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

#### **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### **USE RESTRICTIONS**

- For residential use only.
- Do not apply this product in a way that will contact any person or pet, either directly or through drift. Keep people and pets out of the area during application. Do not allow people or pets to enter the treated area until dusts have settled.
- Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.
- Apply when the air is calm. Do not apply to newly seeded lawns. Do not exceed specified dosages for any area. During application, close spreader openings when turning.
- Do not use this product on or near desirable plants, including within the drip line of the roots of desirable trees and shrubs, since injury may result.
- Do not apply directly to or near water, storm drains, gutters, sewers, or drainage ditches. Do not apply within 25 feet of rivers, fish ponds, lakes, streams, reservoirs, marshes, estuaries, bays, and oceans. Do not apply when windy. Apply this product directly to your lawn, and sweep any product landing on the driveway, sidewalk, gutter, or street back onto the treated area. To prevent product run-off, do not over water the treated area(s) to the point of runoff or apply when raining or when rain is expected that day.

#### **INSTRUCTIONS:**

Lebanon Broadleaf Weed Killer with Trimec® Herbicide controls a wide range of lawn weeds including dandelion, chickweed, knotweed, plantain, henbit, spurge and many others as listed which are commonly found in home lawns. Possible retreatment may be necessary if (a) lawn is heavily overrun by weeds, or, (b) if adverse low moisture conditions prevail and weeds are in a state of poor growth. A second application may be made in 30 days.

For use on established turf of warm season grasses including bermudagrass, centipedegrass, and zoysiagrass.

Established turf of cool season grasses including Kentucky bluegrass, perennial ryegrass, tall fescue, and turf-type tall fescues. Do not apply this product on carpetgrass, dichondra, St. Augustinegrass, or established turf containing desirable clovers.

The maximum broadcast application rate is 2.0 pounds of product per 1,000 sq. ft. per application. The maximum number of broadcast applications is limited to 2 per year with a minimum of 30 days between applications. The maximum seasonal rate is 4.0 pounds of product per 1,000 sq. ft.

- 1. Mow lawn to normal height 1 to 2 days before application.
- 2. Water lawn thoroughly at least 1 day before application to sustain moisture until the next watering (see step 4).
- 3. Apply when weeds are young and actively growing, preferably in the morning when dew is on the grass. If grass is not moist at time of application, sprinkle lightly with water to allow the granules to adhere and to remain on the leaf surface of the weeds.
- 4. Do not wash from weed leaves for 1 to 2 days after application. At this time a thorough watering should be made.

Spreader	2#/1,000 sq. ft.	Spreader	2#/1,000 sq. ft.
_ebanonTurf	4	Lesco (letter/Numeric)	G/15
Andersons AccuPro	Н	PennMulch HVO ´	J
Earthway Rotary	16	ProScape SS	J
Gandy	24	Spyker Spyker	4
_elv	411	Vicon (all models)	22

147

Buckhorn Annual yellow Clover, white Hawkweed sweetclover Buckhorn plantain Cockle Healall Bulbous buttercup Cocklebur Heartleaf drymary Aster Austrian fieldcress Bull thistle Common mullein Heath aster Bullnettle Bedstraw Creeping jenny Hedge bindweed Burclover Beggarticks Cudweed Hedge mustard Burdock Curly dock Betony, Florida Hemp Burning nettle Henbit Bindweed, field Daisy, English Burweed Bird vetch Daisy fleabane Hoary cress Buttercup Daisy, oxeye Hoary plantain Bitter wintercress Buttonweed Dandelion Bittercress, hairy Hoary vervain Canada thistle Bitterweed Dichondra Horsenettle Carolina geranium Black-eved Susan Dogbane Jimsonweed Black medic Carpetweed Dogfennel Knawel Catchweed bedstraw Black mustard Dollarweed Knotweed Blackseed plantain Catnip False dandelion Kochia Catsear Blessed thistle Falseflax Lambsquarters Chickweed, common Bloodflower milkweed False sunflower Lespedeza Chickweed, mouseear Mallow Blue lettuce Fiddleneck Chicory Florida pusley Matchweed Blue vervain Cinquefoil Frenchweed Mexicanweed Bracted plantain Clover, crimson Brassbuttons Galinsoga Milk vetch Goldenrod Clover, hop Morningglory Bristly oxtongue Mouseear hawkweed Broadleaf dock Clover, red Ground ivy Clover, strawberry Gumweed Broadleaf plantain Mugwort Clover, sweet Broomweed Hairy fleabane Musk thistle

Weeds Mustard Narrowleaf plantain Narrowleaf vetch Nettle Orange hawkweed Oriental cocklebur Oxalis Parsley-piert Parsnip Pearlwort Pennycress Pepperweed Pigweed Pineywoods bedstraw Plains coreopsis Plantain Poison ivv Poison oák Pokeweed Poorioe Sorrel Prairie sunflower Prickly lettuce

Spotted catsear Prostrate vervain Spotted spurge Puncturevine Spurweed Purslane, common Stinging nettle Ragweed Strawberry, India mock Red sorrel Tall nettle Redroot pigweed Tall vervain Redstem filaree Tansy ragwort Rough cinquefoil Tansy mustard Rough fleabane Tanweed Russian pigweed Thistle Russian thistle Trailing crownvetch Scarlet pimpernel Tumble mustard Scotch thistle Tumble pigweed Sheep sorrel Velvetleaf Shepherdspurse Venice mallow Slender plantain Virginia buttonweed Smallflower galinsoga Virginia creeper Smooth dock Virginia pepperweed Smooth pigweed Wavyleaf bullthistle Western clematis Sowthistle Western salsify Spanishneedles White mustard Speedwell Wild aster Spiny amaranth Wild buckwheat Spiny cocklebur Wild carrot Spiny sowthistle

Wild four-o'clock Wild garlic Wild geranium Wild lettuce Wild marigold Wild mustard Wild onion Wild parsnip Wild radish Wild rape Wild strawberry Wild sweet potato Wild vetch Woodsorrel Woolly croton Woolly morningglory Woolly plantain Wormseed Yarrow Yellow rocket Yellowflower pepperweed

#### STORAGE AND DISPOSAL

Prickly sida

Prostrate knotweed

Prostrate pigweed

Prostrate spurge

Do not contaminate water, food, or feed by storage and disposal.

**PESTICIDE STORAGE:** Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals.

#### PESTICIDE DISPOSAL AND CONTAINER HANDLING:

Nonrefillable container. Do not reuse or refill this container. **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

#### LIMITED WARRANTY AND DISCLAIMER.

FOR USE ONLY AS DIRECTED.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE MANUFACTURER NEITHER MAKES NOR INTENDS ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY EXPRESSLY DISCLAIMED. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO CASE SHALL THE MANUFACTURER BE LIABLE FOR INCIDENTAL, CONSEQUENTIAL, OR SPECIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. If these terms are not acceptable, return this product unopened immediately to the point of purchase, and the purchase price will be refunded in full. The terms of this LIMITED WARRANTY AND DISCLAIMER cannot be varied by any written or verbal statements or agreements at the point of sale or elsewhere.