

Revision Date: 02/11/2015

Print Date: 02/12/2015

VELUM™ TOTAL

COMPANY/UNDERTAKING

Version 2.0 / USA 102000026719

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE

Product identifier

Trade name VELUM™ TOTAL

Product code (UVP) 80845472

SDS Number 102000026719

EPA Registration No. 264-1171

Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide, Nematicide

Restrictions on use See product label for restrictions.

Information on manufacturer

Bayer CropScience 2 T.W. Alexander Drive

Research Triangle PK, NC 27709

United States

Emergency telephone no.

Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577

Product Information Telephone Number

1-866-99BAYER (1-866-992-2937)

SDS Information or Request SDSINFO.BCS-NA@bayer.com

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Acute toxicity (Oral, Inhalation): Category 4



Signal word: Warning

Hazard statements

Harmful if swallowed. Harmful if inhaled.

Precautionary statements

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Avoid breathing dust, mist, spray.



VELUM™ TOTAL

Version 2.0 / USA Revision Date: 02/11/2015 102000026719 Print Date: 02/12/2015

Use only outdoors or in a well-ventilated area.

IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.

Rinse mouth.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

Dispose of contents/container in accordance with local regulation.

Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

| Hazardous Component Name | CAS-No. | Concentration % by weight | |
|--------------------------|-------------|---------------------------|--|
| Imidacloprid | 138261-41-3 | 22.20 | |
| Fluopyram | 658066-35-4 | 15.40 | |
| 1,2-Propanediol | 57-55-6 | 7.50 | |

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General advice When possible, have the product container or label with you when

calling a poison control center or doctor or going for treatment.

Inhalation Move to fresh air. If person is not breathing, call 911 or an ambulance,

then give artificial respiration, preferably mouth-to-mouth if possible. Call

a physician or poison control center immediately.

Skin contact Take off contaminated clothing and shoes immediately. Wash off

immediately with plenty of water for at least 15 minutes. Call a physician

or poison control center immediately.

Eye contact Hold eye open and rinse slowly and gently with water for 15-20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center

immediately.

Ingestion Call a physician or poison control center immediately. Rinse out mouth

and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim

unattended.

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the

patient's condition is recommended. There is no specific antidote.



Revision Date: 02/11/2015

Print Date: 02/12/2015

VELUM™ TOTAL

Version 2.0 / USA 102000026719

Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable High volume water jet

SECTION 5: FIREFIGHTING MEASURES

Special hazards arising from the substance or

mixture

Dangerous gases are evolved in the event of a fire.

Advice for firefighters

Special protective

equipment for fire-fighters

Firefighters should wear NIOSH approved self-contained breathing

apparatus and full protective clothing.

Further information Use appropriate extinguishing media for material that is supplying fuel.

Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from

fire fighting to enter drains or water courses.

Flash point no data available

Autoignition temperatureno data availableLower explosion limitno data availableUpper explosion limitno data availableExplosivitynot applicable

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Precautions Keep unauthorized people away. Isolate hazard area. Avoid contact

with spilled product or contaminated surfaces.

Methods and materials for containment and cleaning up

Methods for cleaning up Soak up with inert absorbent material (e.g. sand, silica gel, acid binder,

universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

Additional advice Use personal protective equipment. Do not allow to enter soil,

waterways or waste water canal.

Reference to other sections Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

Bayer CropScience



VELUM™ TOTAL

Version 2.0 / USA 102000026719

Revision Date: 02/11/2015 Print Date: 02/12/2015

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Ensure adequate ventilation. Handle and open container in a manner as

to prevent spillage.

Hygiene measures Remove Personal Protective Equipment (PPE) immediately after

handling this product. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean

clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and

feed. Store in original container and out of the reach of children,

preferably in a locked storage area.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

| Components | CAS-No. | Control parameters | Update | Basis |
|-------------------------------|-------------|-------------------------|---------|----------|
| Imidacloprid | 138261-41-3 | 50ug/m3 (ST ESL) | 07 2011 | TX ESL |
| Imidacloprid | 138261-41-3 | 5ug/m3 (AN ESL) | 07 2011 | TX ESL |
| Imidacloprid | 138261-41-3 | 0.7 mg/m3 (TWA) | | OES BCS* |
| Fluopyram | 658066-35-4 | 0.34 mg/m3 (OES BCS) | | OES BCS* |
| 1,2-Propanediol (Vapor.) | 57-55-6 | 1000ug/m3 (ST ESL) | 02 2013 | TX ESL |
| 1,2-Propanediol (Vapor.) | 57-55-6 | 500ppb (ST ESL) | 02 2013 | TX ESL |
| 1,2-Propanediol (Vapor.) | 57-55-6 | 100ug/m3 (AN ESL) | 02 2013 | TX ESL |
| 1,2-Propanediol (Vapor.) | 57-55-6 | 50ppb (AN ESL) | 02 2013 | TX ESL |
| 1,2-Propanediol (Aerosol.) | 57-55-6 | 10 mg/m3 (TWA) | 2010 | WEEL |

^{*}OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

Exposure controls

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the



VELUM™ TOTAL

Version 2.0 / USA Revision Date: 02/11/2015 102000026719 Print Date: 02/12/2015

following recommendations would apply.

Respiratory protection When respirators are required, select NIOSH approved equipment

based on actual or potential airborne concentrations and in

accordance with the appropriate regulatory standards and/or industry

recommendations.

Hand protection Chemical resistant nitrile rubber gloves

Eye protection Safety glasses with side-shields

Skin and body protection Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures Wash hands thoroughly with soap and water after handling and

before eating, drinking, chewing gum, using tobacco, using the toilet

or applying cosmetics.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid

water.

Keep and wash PPE separately from other laundry.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance white to beige

Physical State suspension

Odor characteristic

Odour Threshold no data available

pH 5.5 - 8.0 at 100 % (23 °C)

Vapor Pressureno data availableVapor Density (Air = 1)no data availableDensity1.17 g/cm³ at 20 °CEvapouration rateno data available

Boiling Point no data available
Melting / Freezing Point no data available

Water solubility dispersible

Minimum Ignition Energy not applicable

Decomposition no data available temperature

Partition coefficient: n-

octanol/water

no data available

Viscosity 200 - 400 mPa.s at 20 °C Velocity gradient 20 /s

350 - 700 mPa.s at 20 °C Velocity gradient 7.5 /s

Flash point no data available

Autoignition temperature no data available



VELUM™ TOTAL

 Version 2.0 / USA
 Revision Date: 02/11/2015

 102000026719
 Print Date: 02/12/2015

Lower explosion limitno data availableUpper explosion limitno data availableExplosivitynot applicable

SECTION 10: STABILITY AND REACTIVITY

Reactivity

Thermal decomposition no data available

Chemical stability Stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid no data available

Incompatible materials no data available

Hazardous decomposition

products

No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION

Exposure routes Ingestion, Inhalation, Eye contact, Skin contact

Immediate Effects

Eye May cause mild irritation to eyes. **Skin** May cause mild irritation to the skin.

Ingestion Harmful if swallowed.

Inhalation Mists may cause respiratory tract irritation.

Information on toxicological effects

Acute oral toxicity (female rat) 1,750 mg/kg

Acute inhalation toxicity (male rat) > 5.17 mg/l

Exposure time: 4 h

-xposure time. 4 m

(female rat) 2.09 - 5.17 mg/l

Exposure time: 4 h

Acute dermal toxicity (male/female combined rat) > 5,000 mg/kg

Skin irritationNo skin irritation (rabbit)Eye irritationSlight irritation (rabbit)SensitisationNon-sensitizing. (mouse)

OECD Test Guideline 429, local lymph node assay (LLNA)



Revision Date: 02/11/2015

VELUM™ TOTAL

Version 2.0 / USA 102000026719

2000026719 Print Date: 02/12/2015

Assessment repeated dose toxicity

Imidacloprid did not cause specific target organ toxicity in experimental animal studies. Fluopyram did not cause specific target organ toxicity in experimental animal studies.

Assessment Mutagenicity

Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

Fluopyram was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment Carcinogenicity

Imidacloprid was not carcinogenic in lifetime feeding studies in rats and mice.

Fluopyram caused at high dose levels an increased incidence of tumours in rats in the following organ(s): liver.

Fluopyram caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Thyroid.

The tumours seen with Fluopyram were caused through a non-genotoxic mechanism, which is not relevant at low doses. The mechanism that triggers these tumours is not relevant to humans.

| ACGIH |
|------------------------------------|
| None. |
| NTP |
| None. |
| IARC |
| None. |
| OSHA |
| None. |
| |
| Accomment toxinity to reproduction |

Assessment toxicity to reproduction

Imidacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Imidacloprid is related to parental toxicity. Fluopyram caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Fluopyram is related to parental toxicity.

Assessment developmental toxicity

Imidacloprid caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Imidacloprid are related to maternal toxicity.

Fluopyram caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Fluopyram are related to maternal toxicity.

Further information

Only acute toxicity studies have been performed on the formulated product.

The non-acute information pertains to the active ingredient(s).



VELUM™ TOTAL

Version 2.0 / USA Revision Date: 02/11/2015 102000026719 Print Date: 02/12/2015

Toxicity to fish LC50 (Oncorhynchus mykiss (rainbow trout)) > 2 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient fluopyram. No acute toxicity was observed at its limit of water solubility.

LC50 (Oncorhynchus mykiss (rainbow trout)) 211 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient imidacloprid.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) > 20 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient fluopyram. No acute toxicity was observed at its limit of water solubility.

EC50 (Daphnia magna (Water flea)) 85 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient imidacloprid.

LC50 (Chironomus riparius (non-biting midge)) 0.0552 mg/l

Exposure time: 24 h

The value mentioned relates to the active ingredient imidacloprid.

Toxicity to aquatic plants EC50 (Pseudokirchneriella subcapitata) 8.9 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient fluopyram.

EC50 (Desmodesmus subspicatus) > 10 mg/l

Growth rate; Exposure time: 72 h

The value mentioned relates to the active ingredient imidacloprid.

Biodegradability Imidacloprid: ; not rapidly biodegradable

Fluopyram: ; not rapidly biodegradable

Koc Imidacloprid: Koc: 225

Fluopyram: Koc: 279

Bioaccumulation Imidacloprid: ; Does not bioaccumulate.

Fluopyram: Bioconcentration factor (BCF) 18; Does not bioaccumulate.

Mobility in soil Imidacloprid: Moderately mobile in soils

Fluopyram: Moderately mobile in soils

Environmental precautions Do not allow to get into surface water, drains and ground water.

Do not contaminate surface or ground water by cleaning equipment or

disposal of wastes, including equipment wash water.

Apply this product as specified on the label.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product Never place unused product down any indoor or outdoor drain.



VELUM™ TOTAL

 Version 2.0 / USA
 Revision Date: 02/11/2015

 102000026719
 Print Date: 02/12/2015

Contaminated packaging Consult state and local regulations regarding the proper disposal of

container.

Follow advice on product label and/or leaflet.

RCRA Information Characterization and proper disposal of this material as a special or

hazardous waste is dependent upon Federal, State and local laws and

are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR Not dangerous goods / not hazardous material

IMDG

UN number 3082
Class 9
Packaging group III
Marine pollutant YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(IMIDACLOPRID, FLUOPYRAM SOLUTION)

IATA

UN number 3082
Class 9
Packaging group III
Environm. Hazardous Mark YES

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(IMIDACLOPRID, FLUOPYRAM SOLUTION)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 264-1171

US Federal Regulations

TSCA list

1,2-Propanediol 57-55-6

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

None.

US States Regulatory Reporting



VELUM™ TOTAL

Version 2.0 / USA 102000026719

Revision Date: 02/11/2015 Print Date: 02/12/2015

CA Prop65

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

1,2-Propanediol 57-55-6 MN

Canadian Regulations
Canadian Domestic Substance List
None.

Environmental CERCLA

None.

Clean Water Section 307 Priority Pollutants

None

Safe Drinking Water Act Maximum Contaminant Levels

None.

EPA/FIFRA Information:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

Hazard statements: Harmful if swallowed.

Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet

or applying cosmetics.

SECTION 16: OTHER INFORMATION

NFPA 704 (National Fire Protection Association):

Health - 1 Flammability - 1 Instability - 0 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 0 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: Revised according to the current OSHA Hazard Communication Standard (29CFR1910.1200)



VELUM™ TOTAL

Version 2.0 / USA 102000026719

Revision Date: 02/11/2015 Print Date: 02/12/2015

Revision Date: 02/11/2015

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.