

# **Safety Data Sheet**

### Zeal® SC Miticide

### 1. IDENTIFICATION: CHEMICAL PRODUCT AND COMPANY

PRODUCT NAME: Zeal® SC Miticide

EPA REGISTRATION NUMBER: 59639-202
PRODUCT CODE: 69767
VC NUMBER(S): VC 1927
SYNONYM(S): None
PRODUCT DESCRIPTION: Miticide

MANUFACTURER/DISTRIBUTOR

VALENT U.S.A. CORPORATION

P.O. Box 8025 1600 Riviera Avenue, Suite 200 Walnut Creek, CA 94596-8025 **EMERGENCY TELEPHONE NUMBERS** 

HEALTH EMERGENCY OR SPILL (24 hr):

(800) 892-0099

TRANSPORTATION (24 hr.): CHEMTREC (800) 424-9300 or (202) 483-7616

PRODUCT INFORMATION

AGRICULTURAL PRODUCTS: (800) 682-5368

### 2. HAZARDS IDENTIFICATION

For EPA FIFRA-specific information see Section 15

Classification

Not a dangerous substance or mixture according to the Globally Harmonized System (GHS).

Label elements

**EMERGENCY OVERVIEW** 

**Precautionary Statements - Prevention** 

Read product label prior to using this product. For specific handling instruction refer to Section 7, Handling and Storage

**Precautionary Statements - Response** 

See Section 4, First Aid Measures

Page 2 of 9 Zeal® SC Miticide

#### **Precautionary Statements - Storage**

For information on Storage and Handling see Section 7.

#### **Precautionary Statements - Disposal**

For further information on product and container disposal see Section 13.

### Hazards not otherwise classified (HNOC)

#### Other Information

- Very toxic to aquatic life
- · Very toxic to aquatic life with long lasting effects

25% of the mixture consists of ingredient(s) of unknown toxicity

For information on Transportation requirements see Section 14.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight/ Percent	TRADE SECRET
Etoxazole	153233-91-1	30 - 40	
Water	7732-18-5	<60	
Other ingredients	No CAS#	< 12	

Other ingredients, which may be maintained as trade secrets, are any substances other than an active ingredient contained in this product. Some of these may be hazardous, but their identities are withheld because they are considered trade secrets. The hazards associated with the other ingredients are addressed in this document. Specific information on other ingredients for the management of exposures, spills, or safety assessments can be obtained by a treating physician or nurse by calling (800) 892-0099 at any time.

#### FIRST AID MEASURES

### **EMERGENCY NUMBER (800) 892-0099**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-892-0099 for emergency medical treatment information.

#### **EYE CONTACT:**

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

### SKIN CONTACT:

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

### INGESTION:

Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

SDS NO.: 0477 **Emergency Telephone:** (800) 892-0099 **REVISION NUMBER: REVISION DATE:** 06/04/2015 Zeal® SC Miticide Page 3 of 9

#### **INHALATION:**

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

#### **NOTES TO PHYSICIAN:**

None

### 5. FIRE FIGHTING MEASURES

Flash point °C >100 °C Flash point °F >212 °F

**NFPA RATING:** 

Health: 1
Flammability: 0
Reactivity: 0
Special: None

(Least-0, Slight-1, Moderate-2, High-3, Extreme-4). These values are obtained using professional judgement. Values were not available in the guidelines or published evaluations prepared by the National Fire Protection Association, NFPA.

**FIRE FIGHTING INSTRUCTIONS:** As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH approved (or equivalent) and full protective gear, if necessary.

### 6. ACCIDENTAL RELEASE MEASURES

VALENT EMERGENCY PHONE NUMBER: (800) 892-0099
CHEMTREC EMERGENCY PHONE NUMBER: (800) 424-9300
OBSERVE PRECAUTIONS IN SECTION 8: PERSONAL PROTECTION

Stop the source of the spill if safe to do so. Contain the spill to prevent further contamination of the soil, surface water, or ground water. For additional spill response information refer to the North American Emergency Response Guidebook.

UN/NA NUMBER: Not applicable EMERGENCY RESPONSE GUIDEBOOK NO.: Not applicable

### FOR SPILLS AND LEAKS

**CONTAINMENT:** Avoid runoff into storm sewers and ditches which lead to waterways. Contain spilled liquids with dry sorbents.

**CLEANUP:** Clean up spill immediately. Absorb spill with inert material (such as dry sand or earth), then place in a chemical waste container. Wash area with soap and water. Pick up wash liquid with additional absorbent and place in a chemical waste container.

## 7. HANDLING AND STORAGE

#### END USER MUST READ AND OBSERVE ALL PRECAUTIONS ON PRODUCT LABEL.

#### HANDLING:

Keep pesticide in original container. Do not store or transport near food or feed. Do not contaminate food or feed. Do not put concentrate into food or drink containers. Do not dilute concentrate in food or drink containers. Store in a cool, dry place, out of direct sunlight. Keep out of reach of children.

Zeal® SC Miticide Page 4 of 9

#### STORAGE:

See Handling information above. Do not store at temperatures below 32° F (0° C). If the product is exposed to temperatures below 32° F (0° C), thaw at room temperature to 50° F (10° C) or warmer and shake gently to unify the product.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### END USER MUST READ AND OBSERVE ALL PRECAUTIONS ON PRODUCT LABEL.

EYES & FACE: Do not get this material in your eyes. Eye contact can be avoided by wearing protective eyewear.

**RESPIRATORY PROTECTION:** Use in well ventilated area. The usual precautions for handling chemicals should be observed.

**SKIN & HAND PROTECTION:** Avoid contact with skin or clothing. Skin contact can be minimized by wearing protective clothing including gloves.

**ENGINEERING CONTROLS:** Eyewash facilities should be available.

#### **EXPOSURE LIMITS**

Chemical Name	ACGIH Exposure Limits	OSHA Exposure Limits	Manufacturer's Exposure Limits
Etoxazole	None	None	None
Water	None	None	None
Other ingredients	None	None	None

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state Liquid

Appearance Liquid Odor Mild

Color Light tan Odor threshold No information available

PROPERTIES Values Remarks • Method

<del>pH</del> 6 - 9 @ 25° C

Melting point/freezing point No Information Available

**Boiling point/boiling range**  $> 100 \, ^{\circ}\text{C} \, / > 212 \, ^{\circ}\text{F}$ **Flash point**  $> 100 \, ^{\circ}\text{C} \, / > 212 \, ^{\circ}\text{F}$ 

**Evaporation rate**Flammability (solid, gas)
No information available
No information available

Flammability Limits in Air

Upper flammability limits
Lower flammability limit
Vapor pressure
No information available
No information available
No information available

Vapor pressureNo information availableVapor densityNo information availableSpecific GravityNo information available

Water solubility Dispersible

Solubility in other solvents
Partition coefficient
Autoignition temperature
Decomposition temperature
No information available
No information available
No information available

Viscosity 130 cPs @ 20° C

**Explosive properties**No information available
Oxidizing properties
No information available

Zeal® SC Miticide Page 5 of 9

**Density** 1.07 -1.11 g/cm³ @ 20° C **Bulk density** No information available

### 10. STABILITY AND REACTIVITY

#### Reactivity

No data available

#### Chemical stability

Stable under normal ambient conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### Conditions to avoid

Extremes of temperature and direct sunlight.

#### Incompatible materials

None known based on information supplied.

#### **Hazardous Decomposition Products**

None known based on information supplied.

### 11. TOXICOLOGICAL INFORMATION

#### **ACUTE TOXICITY:**

The following information is for the technical material.

Oral Toxicity LD 50 (rats)	> 5000 mg/kg	EPA Tox Category	IV
Dermal Toxicity LD 50 (rabbits)	> 5000 mg/kg	EPA Tox Category	IV
Inhalation Toxicity LC 50 (rats)	> 2.09 mg/L	EPA Tox Category	IV
Eye Irritation (rabbits)	Practically non-irritating	EPA Tox Category	IV
Skin Irritation (rabbits)	Slightly irritating	EPA Tox Category	IV

Skin Sensitization (guinea pigs)

Not available

EPA Tox Category

Not available

#### **CARCINOGEN CLASSIFICATION**

Chemical Name	IARC	OSHA - Select Carcinogens	NTP Carcinogen List		
Etoxazole	Not listed	Not listed	Not listed		
Water	Not listed	Not listed	Not listed		
Other ingredients	Not listed	Not listed	Not listed		

#### **TOXICITY OF ETOXAZOLE TECHNICAL**

**SUBCHRONIC:** Compound-related effects observed in rodent studies, at high dietary dose levels of Etoxazole Technical, included increased liver weight, histological changes in the liver, and slight changes in hematology and blood biochemistry parameters. The NOELs in rats and mice were 100 and 400 ppm, respectively. In a 13-week feeding study in dogs with Etoxazole Technical, dose-related effects noted at the top two levels (10000 and 2000 ppm) included increased liver weights, decreased prostate weights, histological changes of the liver and prostate (acinar cell atrophy), and changes in blood biochemistry (high dose only). The NOEL for this study was 200 ppm. In a 28-day dermal toxicity study, no adverse effects were observed at doses of Etoxazole Technical up to 1000 mg/kg/day.

Zeal® SC Miticide Page 6 of 9

CHRONIC/CARCINOGENICITY: Two rat chronic/oncogenicity studies have been conducted with rats fed Etoxazole Technical in the diet. The first study, conducted at dose levels of 0, 4, 16 and 64 mg/kg/day, indicated liver toxicity and tumors of the testis and pancreas, but a MTD was not achieved. A second confirmatory study was conducted at dose levels of 0, 50, 5000 and 10000 ppm. The findings of the second study confirm that Etoxazole Technical is not carcinogenic. Two oncogenicity studies were also conducted in mice using dietary levels ranging from 15 to 4500 ppm. Again, Etoxazole Technical was found to be toxic to the liver at high doses, but not carcinogenic. In a one year study in dogs with Etoxazole Technical, an increase in absolute and relative liver weights was observed with corresponding histopathological changes in the liver at 1000 and 5000 ppm. The NOEL for this study was 200 ppm.

**DEVELOPMENTAL TOXICITY:** No developmental toxicity was observed in rats even at maternally toxic levels of Etoxazole Technical. Based on decreased food consumption at the 1000 mg/kg/day level, the maternal NOEL was 200 mg/kg/day and the developmental NOEL was 1000 mg/kg/day. In rabbits, Etoxazole Technical produced a slight increase in skeletal variations, but only at the maternally toxic level of 1000 mg/kg/day (based on decreased body weight gain, reduced food consumption and enlarged liver). The maternal and developmental NOELs were both 200 mg/kg/day.

**REPRODUCTION:** In a two-generation rat reproductive study with Etoxazole Technical, an increase in relative liver weight was observed in the F0 and F1 males in the 2000 ppm group. At the 2000 ppm level, the viability index on lactation day 4 was reduced in F1 pups. Body weights of this group were also reduced in F1 and F2 pups during the latter half of the lactation period. The NOEL for both adults and offspring was 400 ppm.

**MUTAGENICITY:** Etoxazole Technical was negative in the Microbial/Microsome Reverse Mutation Assay (Ames Test), in vivo mouse micronucleus assay, Unscheduled DNA Synthesis and the in vitro chromosome aberration test in Chinese hamster lung cells. A positive response was observed in the mammalian mutation assay using L5178Y mouse lymphoma cells.

For a summary of the potential for adverse health effects from exposure to this product, refer to Section 2. For information regarding regulations pertaining to this product, refer to Section 15.

### 12. ECOLOGICAL INFORMATION

**AVIAN TOXICITY:** Slightly to practically non-toxic to avian species.

**AQUATIC ORGANISM TOXICITY:** Etoxazole Technical is moderately to highly toxic to fish and very highly toxic to aquatic invertebrates:

96-Hour LC 50 rainbow trout: 2.8 mg/L 96-Hour LC 50 bluegill sunfish: 1.4 mg/L 96-Hour LC 50 Japanese carp: 0.89 mg/L 48-Hour EC 50 Daphnia magna: 7.1 µg/L

Early life-stage rainbow trout MATC: 0.022 mg/L Life-cycle Daphnia magna MATC: 0.48 µg/L

(MATC - Maximum Acceptable Toxicant Concentration)

OTHER NON-TARGET

Etoxazole Technical is practically nontoxic to adult worker honey bees. The

48-hour LD 50 values were: Oral LD 50 > 200 µg/bee & Contact LD 50 > 200

ug/bee.

#### OTHER ENVIRONMENTAL INFORMATION:

Do not apply directly to water. Do not contaminate water by disposal of wastes.

Page 7 of 9 Zeal® SC Miticide

#### 13. **DISPOSAL CONSIDERATIONS**

#### END USERS MUST DISPOSE OF ANY UNUSED PRODUCT AS PER THE LABEL RECOMMENDATIONS.

**PRODUCT DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure 2 more times.

**DISPOSAL METHODS:** Check government regulations and local authorities for approved disposal of this material. Dispose of in accordance with applicable laws and regulations.

### 14. TRANSPORTATION INFORMATION

DOT (ground) SHIPPING NAME: Not regulated for domestic ground transport by U.S. DOT

**EMERGENCY RESPONSE** 

**GUIDEBOOK NO.:** 

Not applicable

**ICAO/IATA SHIPPING NAME:** UN 3082 Environmentally Hazardous Substance, Liquid, N.O.S. (Etoxazole), 9, III,

Marine Pollutant

**REMARKS:** •Single or inner packaging less than 5 L (liquid) or 5 Kg net (solids) excepted from

> Dangerous Goods regulations – see IATA Special Provision A197 •For US shipping, Emergency Response Guidebook No. 171

IMDG SHIPPING NAME: UN 3082, Environmentally hazardous substance, Liquid, N.O.S. (Etoxazole), 9, III,

Marine Pollutant

**REMARKS:** •Single or inner packaging less than 5 L (liquid) or 5 Kg net (solids) excepted from

Dangerous Goods regulations - see IMDG 2.10.2.7

•For US shipping, Emergency Response Guidebook No. 171

F-A, S-F EMS NO.:

#### 15. REGULATORY INFORMATION

#### EPA-FIFRA LABEL INFORMATION THAT DIFFERS FROM OSHA-GHS REQUIREMENTS:

This material is a pesticide product registered by the EPA under FIFRA and is subject to certain labeling requirements under federal pesticide law. These requirements may differ from the classification criteria and hazard information required by OSHA GHS for safety data sheets, and for workplace labels of non-pesticide chemicals. The following is the hazard information as required on the FIFRA pesticide label:

**EPA FIFRA SIGNAL WORD: CAUTION** 

**Emergency Telephone:** SDS NO.: 0477 (800) 892-0099 **REVISION NUMBER:** 

**REVISION DATE:** 

06/04/2015

Zeal® SC Miticide Page 8 of 9

- · Keep out of reach of children.
- · Wash hands before eating, drinking, chewing, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Environmental hazards

This pesticide is toxic to freshwater and marine/estuarine aquatic invertebrates, including oysters and shrimp. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and runoff from treated areas may be hazardous to aquatic organisms in water adjacent to treated areas. Do not contaminate water when disposing of equipment wash waters or rinsate.

**PESTICIDE REGULATIONS:** All pesticides are governed under FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act). Therefore, the regulations presented below are pertinent only when handled outside of the normal use and applications of pesticides. This includes waste streams resulting from manufacturing/formulation facilities, spills or misuse of products, and storage of large quantities of products containing hazardous or extremely hazardous substances.

**U.S. FEDERAL REGULATIONS:** Ingredients in this product are reviewed against an inclusive list of federal regulations. Therefore, the user should consult appropriate authorities. The federal regulations reviewed include: Clean Water Act, SARA, CERCLA, RCRA, DOT, TSCA and OSHA. If no components or information is listed in the space below this paragraph, then none of the regulations reviewed are applicable.

SARA (311, 312):

Immediate Health:YesChronic Health:NoFire:NoSudden Pressure:NoReactivity:No

**STATE REGULATIONS:** Each state may promulgate standards more stringent than the federal government. This section cannot encompass an inclusive list of all state regulations. Therefore, the user should consult state or local authorities. The state regulations reviewed include: California Proposition 65, California Directors List of Hazardous Substances, Massachusetts Right to Know, Michigan Critical Materials List, New Jersey Right to Know, Pennsylvania Right to Know, Rhode Island Right to Know and the Minnesota Hazardous Substance list. For Washington State Right to Know, see Section 8 for Exposure Limit information. For Louisiana Right to Know refer to SARA information listed under U.S. Regulations above. If no components or information is listed in the space below this paragraph, then none of the regulations reviewed are applicable.

For information regarding potential adverse health effects from exposure to this product, refer to Sections 2 and 11.

#### 16. OTHER INFORMATION

**REASON FOR ISSUE:** Added the EPA registration number. Updated transportation information.

SDS NO.: 0477 EPA REGISTRATION NUMBER: 59639-202

REVISION NUMBER:

REVISION DATE: 06/04/2015 SUPERCEDES DATE: None

RESPONSIBLE PERSON(S): Valent U.S.A. Corporation, Corporate EH&S, (925) 256-2803

Zeal® SC Miticide Page 9 of 9

\_\_\_\_\_

The information provided in this Safety Data Sheet (SDS) is provided in good faith and believed to be accurate at the time of preparation of the SDS. However, to the extent consistent with applicable law, Valent U.S.A. Corporation and its subsidiaries or affiliates extend no warranties, make no representations, and assume no responsibility as to the acccuracy, suitability, or completeness of such information. Additionally, to the extent consistent with applicable law, neither Valent U.S.A. Corporation nor any of its subsidiaries or affiliates represents or guarantees that this information or product may be used without infringing the intellectual property rights of others. Except to the extent a particular use and particular information are expressly stated on the product label, it is the users' own responsibility to determine the suitability of this information for their own particular use of this product. If necessary, contact Valent U.S.A. Corporation to confirm that you have the most current product label and SDS.

This Safety Data Sheet (SDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA-APPROVED PRODUCT LABEL (attached to and accompanying the product container). This SDS provides important health, safety, and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use as required by the Occupational Health and Safety Act (29 CFR 1910.1200, "Hazcom").

The product label provides information specifically for product use in the ordinary course. Use, storage and disposal of pesticide products is regulated by the EPA under the authority of FIFRA through the product label. All necessary hazard classification and appropriate precautionary use, storage, and disposal information is set forth on that label or labeling accompanying the pesticide or to which reference is made on the label. It is a violation of federal law to use an EPA-registered pesticide product in any manner inconsistent with its labeling.

2015 Valent U.S.A. Corporation