

Syngenta Crop Protection, LLC
Post Office Box 18300
Greensboro, NC 27419

In Case of Emergency, Call
1-800-888-8372

1. PRODUCT IDENTIFICATION

Product Name:	DACONIL ULTREX TURF CARE	Product No.:	A12836A
EPA Signal Word:	Danger		
Active Ingredient(%):	Chlorothalonil (82.5%)	CAS No.:	1897-45-6
Chemical Name:	Tetrachloroisophthalonitrile		
Chemical Class:	Chlorinated Benzonitrile Fungicide		
EPA Registration Number(s):	50534-202-100	Section(s) Revised:	15

2. HAZARDS IDENTIFICATION

Health and Environmental

Causes serious eye damage. May be harmful in contact with skin. May cause an allergic skin reaction. Causes mild skin irritation.

Hazardous Decomposition Products

None known.

Physical Properties

Appearance: Brown granules

Odor: Slight

Unusual Fire, Explosion and Reactivity Hazards

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Material	OSHA PEL	ACGIH TLV	Other	NTP/IARC/OSHA Carcinogen
Kaolin Clay	15 mg/m ³ TWA (total); 5 mg/m ³ TWA (respirable)	2 mg/m ³ TWA (respirable)	10 mg/m ³ TWA (total); 5 mg/m ³ TWA (respirable) **	No
Chlorothalonil (82.5%)	Not Established	Not Established	0.1 mg/m ³ TWA ***	IARC Group 2B

** recommended by NIOSH

*** Syngenta Occupational Exposure Limit (OEL)

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.
 Syngenta Hazard Category: C, S

4. FIRST AID MEASURES

Have the product container, label or Material Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison control center or doctor, or going for treatment.

Ingestion: If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment

advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

- Eye Contact: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
- Skin Contact: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.
- Inhalation: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or doctor for further treatment advice.

Notes to Physician

There is no specific antidote if this product is ingested.

Treat symptomatically.

Persons having a temporary allergic reaction may respond to treatment with antihistamines or steroid creams and/or systemic steroids.

Medical Condition Likely to be Aggravated by Exposure

None known.

5. FIRE FIGHTING MEASURES

Fire and Explosion

Flash Point (Test Method):	Not Applicable	
Flammable Limits (% in Air):	Lower: Not Applicable	Upper: Not Applicable
Autoignition Temperature:	Not Applicable	
Flammability:	Not Applicable	

Unusual Fire, Explosion and Reactivity Hazards

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

In Case of Fire

Use dry chemical, foam or CO2 extinguishing media. Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion. Prevent use of contaminated buildings, area, and equipment until decontaminated. Water runoff can cause environmental damage. If water is used to fight fire, dike and collect runoff.

6. ACCIDENTAL RELEASE MEASURES

In Case of Spill or Leak

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Sweep up material and place in a compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

7. HANDLING AND STORAGE

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.

FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Ingestion:	Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.
Eye Contact:	Where eye contact is likely, use dust-proof chemical goggles. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.
Skin Contact:	Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, natural rubber, polyethylene, polyvinyl chloride [PVC] or Viton), coveralls, socks and chemical-resistant footwear.
Inhalation:	A particulate filter respirator may be necessary until effective engineering controls are installed to comply with occupational exposure limits. Use a NIOSH approved respirator with any HE filter.

Use a self-contained breathing apparatus in cases of emergency spills, when exposure levels are unknown, or under any circumstances where air-purifying respirators may not provide adequate protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Brown granules
Odor:	Slight
Melting Point:	482 °F
Boiling Point:	> 662 °F
Specific Gravity/Density:	0.74 g/cm ³
pH:	8 - 10

Solubility in H₂O

Chlorothalonil:	0.81 mg/l @ 77°F (25°C)
-----------------	-------------------------

Vapor Pressure

Chlorothalonil:	5.7 x 10 ⁽⁻⁷⁾ mmHg @ 77°F (25°C)
-----------------	---

10. STABILITY AND REACTIVITY

Stability:	Stable under normal use and storage conditions.
Hazardous Polymerization:	Material is not known to polymerize.
Conditions to Avoid:	None known.
Materials to Avoid:	None known.
Hazardous Decomposition Products:	None known.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity/Irritation Studies (Finished Product)

Ingestion:	Oral (LD50 Rat) :	> 5000 mg/kg body weight
Dermal:	Dermal (LD50 Rat) :	> 2000 mg/kg body weight
Inhalation:	Inhalation (LC50 Animal Not Available) :	Not Available
Eye Contact:	Severely Irritating (Rabbit)	
Skin Contact:	Mild Irritant	
Skin Sensitization:	A skin sensitizer in animal tests.	

Reproductive/Developmental Effects

Chlorothalonil: Did not show reproductive toxicity effects in animal experiments. Did not show teratogenic effects in animal experiments.

Chronic/Subchronic Toxicity Studies

Chlorothalonil: In dogs, 1 year administration caused a significant decrease in body weight gain and increases in absolute liver and kidney weights.

Neurotoxicity: No evidence in regulatory studies.

Carcinogenicity

Chlorothalonil: Chlorothalonil causes kidney tumors in rats and mice via a nongentoxic mode of action secondary to target organ toxicity.

Did not show mutagenic effects in animal experiments.

IARC identifies chlorothalonil as a 2B carcinogen (possibly carcinogenic to humans).

Other Toxicity Information

Studies on rats and mice have suggested that technical chlorothalonil (97%), when fed at high levels in the diet, may have oncogenic potential to these laboratory animals. However, neither chlorothalonil nor its metabolites interact with DNA and thus are not mutagenic. Tumor formation has been related to a non-genotoxic mechanism of action for which threshold levels have been established in rats and mice. Comprehensive dietary and worker exposure studies have shown exposure levels for humans to be well below these threshold levels. In addition, surveillance of chlorothalonil plant workers for over twenty years has not demonstrated any increase in oncogenic potential to humans.

Toxicity of Other Components

Kaolin Clay

May cause eye and respiratory tract irritation.

Long-term exposure to high concentrations of this dust may produce x-ray evidence of dust in the lungs.

Continued long-term exposure may affect respiratory function in some individuals.

Target Organs

Active Ingredients

Chlorothalonil: Lung, eye, kidney

Inert Ingredients

Kaolin Clay: Eye, respiratory tract, lung

12. ECOLOGICAL INFORMATION

Ecotoxicity Effects

Chlorothalonil:

Green Algae 5-day EC50 190 ppb

Bird (Mallard Duck) LD50 Oral > 4640 mg/kg

Invertebrate (Water Flea) 48-hour EC50 70 ppb

Fish (Rainbow Trout) 96-hour LC50 47 ppb

Environmental Fate

Chlorothalonil:

The information presented here is for the active ingredient, chlorothalonil.

Low bioaccumulation potential. Not persistent in soil or water. Low mobility in soil. Sinks in water (after 24 h).

13. DISPOSAL CONSIDERATIONS

Disposal

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable

Listed Waste: Not Applicable

14. TRANSPORT INFORMATION

DOT Classification

Ground Transport - NAFTA
Not regulated.

Comments

Water Transport - International
Proper Shipping Name: Environmentally Hazardous Substance, Solid, N.O.S. (Chlorothalonil), Marine Pollutant
Hazard Class: Class 9
Identification Number: UN 3077
Packing Group: PG III

Air Transport
Proper Shipping Name: Environmentally Hazardous Substance, Solid, N.O.S. (Chlorothalonil)
Hazard Class: Class 9
Identification Number: UN 3077
Packing Group: PG III

15. REGULATORY INFORMATION

EPCRA SARA Title III Classification

Section 311/312 Hazard Classes: Acute Health Hazard
Chronic Health Hazard

Section 313 Toxic Chemicals: Chlorothalonil (82.5%) (CAS No. 1897-45-6)

California Proposition 65

This product contains a chemical known to the State of California to cause cancer.

CERCLA/SARA 304 Reportable Quantity (RQ)

None

RCRA Hazardous Waste Classification (40 CFR 261)

Not Applicable

TSCA Status

Exempt from TSCA, subject to FIFRA

16. OTHER INFORMATION

NFPA Hazard Ratings

Health: 3
Flammability: 1
Instability: 0

HMIS Hazard Ratings

Health: 3
Flammability: 1
Reactivity: 0

0	Minimal
1	Slight
2	Moderate
3	Serious
4	Extreme

For non-emergency questions about this product call:

1-800-334-9481

Original Issued Date: 11/12/1998

Revision Date: 6/4/2012

Replaces: 8/9/2011

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.

End of MSDS